

Blinded Data: Cereals

KEY

Item	Description
ND	Non-Detect. The analyte was not detected in the product.
<LoQ	Under Limit of Quantification (LoQ). The analyte was detected but at a level below where confident quantitation was possible.
ug/kg	Micrograms of analyte per kilogram of product.

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 1	ND	4.0	<LoQ	4.0	<LoQ	4.0	11.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 2	8.6	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	178.6	40.0	ND	30.0	ND	30.0
Product 3	192.6	17.0	<LoQ	8.5	<LoQ	8.5	<LoQ	17.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 4	66.9	4.0	11.7	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	242.5	40.0	ND	30.0	ND	30.0
Product 5	72.1	4.0	28.7	4.0	<LoQ	4.0	5.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 6	18.4	16.2	12.3	8.1	<LoQ	8.1	<LoQ	16.2	<LoQ	50.0	65.0	40.0	ND	30.0	ND	30.0
Product 7	ND	4.0	5.2	4.0	8.1	4.0	9.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 8	<LoQ	16.3	13.9	8.2	<LoQ	8.2	ND	16.3	ND	50.0	226.4	40.0	ND	30.0	ND	30.0
Product 9	26.1	16.6	17.5	8.3	<LoQ	8.3	<LoQ	16.6	<LoQ	50.0	66.2	40.0	ND	30.0	ND	30.0
Product 10	52.8	8.0	19.0	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	879.2	40.0	ND	30.0	ND	30.0
Product 11	16.5	16.4	39.5	8.2	<LoQ	8.2	<LoQ	16.4	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 12	ND	4.0	17.0	2.0	ND	2.0	4.7	4.0	ND	50.0	246.1	40.0	ND	30.0	ND	30.0
Product 13	<LoQ	17.0	<LoQ	8.5	<LoQ	8.5	<LoQ	17.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 14	ND	4.0	13.0	4.0	ND	4.0	5.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 15	151.2	8.0	23.2	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	50.0	140.1	40.0	ND	30.0	ND	30.0
Product 16	45.4	16.8	39.2	8.4	<LoQ	8.4	<LoQ	16.8	ND	50.0	188.0	40.0	ND	30.0	ND	30.0
Product 17	103.6	8.0	20.0	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 18	<LoQ	16.3	18.6	8.2	<LoQ	8.2	<LoQ	16.3	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 19	81.4	8.0	11.8	8.0	9.2	8.0	10.8	8.0	ND	50.0	98.4	40.0	ND	30.0	ND	30.0
Product 20	<LoQ	16.7	<LoQ	8.4	<LoQ	8.4	<LoQ	16.7	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 21	<LoQ	16.9	<LoQ	8.5	<LoQ	8.5	<LoQ	16.9	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 22	<LoQ	17.0	15.4	8.5	<LoQ	8.5	<LoQ	17.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 23	<LoQ	16.5	<LoQ	8.2	<LoQ	8.2	<LoQ	16.5	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 24	29.0	4.0	7.4	4.0	<LoQ	4.0	9.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 25	5.8	4.0	8.3	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 26	<LoQ	15.8	<LoQ	7.9	<LoQ	7.9	20.3	15.8	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 27	ND	4.0	4.1	4.0	<LoQ	4.0	11.6	4.0	ND	50.0	658.3	40.0	ND	30.0	ND	30.0
Product 28	97.8	16.8	25.0	8.4	<LoQ	8.4	<LoQ	16.8	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 29	<LoQ	16.3	15.0	8.2	<LoQ	8.2	<LoQ	16.3	ND	50.0	51.5	40.0	ND	30.0	ND	30.0
Product 30	40.5	4.0	11.0	4.0	<LoQ	4.0	7.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 31	<LoQ	16.5	<LoQ	8.3	ND	8.3	<LoQ	16.5	ND	50.0	46.0	40.0	ND	30.0	ND	30.0
Product 32	ND	16.4	<LoQ	8.2	ND	8.2	<LoQ	16.4	ND	50.0	45.6	40.0	ND	30.0	ND	30.0
Product 33	ND	4.0	13.2	2.0	<LoQ	2.0	4.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 34	30.8	16.6	14.0	8.3	<LoQ	8.3	<LoQ	16.6	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 35	33.2	4.0	22.7	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	50.0	<LoQ	40.0	ND	40.0	ND	30.0
Product 36	5.4	4.0	4.6	4.0	ND	4.0	5.3	4.0	ND	50.0	63.2	40.0	ND	30.0	ND	30.0
Product 37	8.0	4.0	45.0	4.0	ND	4.0	4.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 38	47.1	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 39	ND	4.0	94.3	4.0	<LoQ	4.0	4.8	4.0	<LoQ	50.0	77.3	40.0	ND	30.0	ND	30.0
Product 40	5.1	4.0	26.7	4.0	ND	4.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 41	25.6	16.9	28.8	8.5	<LoQ	8.5	<LoQ	16.9	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 42	21.0	4.0	22.1	4.0	ND	4.0	<LoQ	4.0	ND	50.0	53.1	40.0	ND	40.0	<LoQ	30.0
Product 43	22.1	8.0	33.0	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	134.9	40.0	ND	30.0	ND	30.0
Product 44	<LoQ	16.9	54.1	8.4	<LoQ	8.4	<LoQ	16.9	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 45	ND	4.0	48.8	4.0	<LoQ	4.0	9.1	4.0	<LoQ	50.0	59.8	40.0	ND	30.0	ND	30.0
Product 46	<LoQ	16.3	12.1	8.2	<LoQ	8.2	<LoQ	16.3	<LoQ	50.0	92.0	40.0	ND	30.0	ND	30.0
Product 47	16.3	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 48	110.3	8.0	15.8	8.0	<LoQ	8.0	33.6	8.0	66.4	50.0	164.6	40.0	ND	30.0	ND	30.0
Product 49	75.2	4.0	76.7	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 50	<LoQ	16.4	<LoQ	8.2	<LoQ	8.2	<LoQ	16.4	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 51	39.0	4.0	44.5	4.0	<LoQ	4.0	5.3	4.0	ND	50.0	224.7	40.0	ND	40.0	ND	30.0
Product 52	38.4	16.3	36.3	8.2	<LoQ	8.2	<LoQ	16.3	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 53	4.0	4.0	43.1	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 54	<LoQ	4.0	4.4	2.0	3.2	2.0	8.0	4.0	ND	50.0	80.1	40.0	ND	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 55	9.0	4.0	50.5	4.0	ND	4.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 56	56.8	16.8	27.3	8.4	<LoQ	8.4	<LoQ	16.8	<LoQ	50.0	234.8	40.0	ND	30.0	ND	30.0
Product 57	<LoQ	16.4	<LoQ	8.2	<LoQ	8.2	<LoQ	16.4	ND	50.0	74.1	40.0	ND	30.0	ND	30.0
Product 58	15.0	4.0	4.2	4.0	<LoQ	4.0	4.3	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 59	ND	4.0	17.5	4.0	<LoQ	4.0	4.2	4.0	ND	50.0	284.2	40.0	ND	30.0	ND	30.0
Product 60	12.5	8.0	40.6	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	86.0	40.0	ND	30.0	ND	30.0
Product 61	ND	4.0	21.5	4.0	<LoQ	4.0	6.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 62	<LoQ	16.9	43.9	8.4	<LoQ	8.4	<LoQ	16.9	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 63	21.8	8.0	16.8	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	116.1	40.0	ND	30.0	ND	30.0
Product 64	11.9	8.0	9.8	8.0	<LoQ	8.0	ND	8.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 65	ND	4.0	18.5	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	50.0	ND	40.0	ND	30.0	558.8	30.0
Product 66	<LoQ	16.9	55.1	8.4	<LoQ	8.4	<LoQ	16.9	<LoQ	50.0	344.0	40.0	ND	30.0	ND	30.0
Product 67	22.6	4.0	10.1	4.0	<LoQ	4.0	7.5	4.0	ND	50.0	ND	40.0	ND	30.0	442.0	30.0
Product 68	ND	4.0	36.4	4.0	ND	4.0	5.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 69	116.0	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 70	205.8	8.0	<LoQ	8.0	<LoQ	8.0	23.9	8.0	ND	50.0	89.2	40.0	ND	30.0	ND	30.0
Product 71	18.1	4.0	8.0	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	<LoQ	40.0	ND	40.0	ND	30.0
Product 72	<LoQ	16.3	31.4	8.2	<LoQ	8.2	<LoQ	16.3	ND	50.0	56.4	40.0	ND	30.0	ND	30.0
Product 73	66.8	8.0	18.7	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	69.7	40.0	ND	30.0	ND	30.0
Product 74	753.3	8.0	15.8	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 75	43.5	8.0	15.5	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	254.6	40.0	ND	30.0	ND	30.0
Product 76	62.3	4.0	8.2	4.0	<LoQ	4.0	8.8	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 77	70.9	8.0	8.9	8.0	<LoQ	8.0	23.2	8.0	ND	50.0	81.3	40.0	ND	30.0	ND	30.0
Product 78	86.7	8.0	19.8	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 79	42.9	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 80	ND	4.0	4.4	4.0	<LoQ	4.0	11.8	4.0	ND	50.0	158.2	40.0	ND	30.0	ND	30.0
Product 81	<LoQ	16.4	10.7	8.2	<LoQ	8.2	<LoQ	16.4	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 82	ND	4.0	<LoQ	4.0	<LoQ	4.0	6.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 83	12.4	4.0	15.3	4.0	<LoQ	4.0	51.7	4.0	ND	50.0	58.9	40.0	ND	40.0	<LoQ	30.0
Product 84	<LoQ	4.0	9.3	2.0	ND	2.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 85	10.6	4.0	8.4	2.0	ND	2.0	9.6	4.0	ND	50.0	148.7	40.0	ND	30.0	ND	30.0
Product 86	135.2	4.0	12.2	2.0	2.2	2.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 87	467.9	8.0	38.1	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 88	ND	4.0	<LoQ	4.0	5.9	4.0	4.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 89	18.2	16.3	9.8	8.2	<LoQ	8.2	<LoQ	16.3	<LoQ	50.0	287.2	40.0	ND	30.0	ND	30.0
Product 90	20.7	16.9	23.9	8.4	<LoQ	8.4	22.0	16.9	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 91	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 92	4.5	4.0	6.8	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	50.0	ND	40.0	ND	40.0	ND	30.0
Product 93	ND	4.0	9.3	4.0	ND	4.0	11.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 94	ND	4.0	30.9	4.0	<LoQ	4.0	22.4	4.0	<LoQ	50.0	ND	40.0	ND	30.0	75.2	30.0
Product 95	13.6	4.0	51.6	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	40.0	<LoQ	30.0
Product 96	21.0	4.0	8.3	4.0	<LoQ	4.0	7.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 97	ND	4.0	<LoQ	2.0	ND	2.0	<LoQ	4.0	ND	50.0	48.9	40.0	ND	30.0	ND	30.0
Product 98	<LoQ	4.0	47.2	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	40.0	ND	30.0
Product 99	6.2	4.0	29.0	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 100	<LoQ	16.5	15.4	8.3	<LoQ	8.3	<LoQ	16.5	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 101	4.5	4.0	46.8	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 102	47.3	8.0	19.2	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	215.5	40.0	ND	30.0	ND	30.0
Product 103	<LoQ	16.9	59.9	8.5	<LoQ	8.5	<LoQ	16.9	ND	50.0	ND	40.0	ND	30.0	ND	30.0