

# Blinded Data: Pet Foods

## KEY

Item	Description
ND	Non-Detect. The analyte was not detected in the product.
<LoQ	Under Limit of Quantification (LoQ). The analyte was detected but at a level below where confident quantitation was possible.
ug/kg	Micrograms of analyte per kilogram of product.

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 1	55.2	4.0	15.9	2.0	ND	2.0	115.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 2	16.6	4.0	14.6	2.0	ND	2.0	29.6	4.0	ND	50.0	163.2	40.0	74.3	30.0	ND	30.0
Product 3	56.3	4.0	46.2	2.0	2.3	2.0	50.9	4.0	<LoQ	50.0	93.0	40.0	<LoQ	60.0	ND	30.0
Product 4	299.5	4.0	109.7	2.0	4.5	2.0	111.7	4.0	ND	50.0	190.7	40.0	196.1	30.0	ND	30.0
Product 5	52.9	4.0	41.2	2.0	3.8	2.0	97.2	4.0	ND	50.0	ND	40.0	63.9	30.0	ND	30.0
Product 6	401.2	4.0	35.0	2.0	3.2	2.0	423.4	4.0	ND	50.0	78.2	40.0	73.2	30.0	ND	30.0
Product 7	13.7	4.0	ND	2.0	ND	2.0	5.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 8	244.5	4.0	40.1	2.0	5.7	2.0	129.3	4.0	ND	50.0	43.0	40.0	43.9	30.0	ND	30.0
Product 9	28.9	4.0	68.8	2.0	ND	2.0	20.1	4.0	ND	50.0	ND	40.0	74.6	30.0	ND	30.0
Product 10	34.6	4.0	2.3	2.0	ND	2.0	8.9	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 11	248.0	4.0	115.5	2.0	4.5	2.0	31.7	4.0	ND	50.0	<LoQ	40.0	129.4	30.0	ND	30.0
Product 12	133.7	4.0	44.4	2.0	ND	2.0	16.5	4.0	NA	50.0	ND	40.0	101.8	30.0	ND	30.0
Product 13	490.2	4.0	54.0	2.0	8.3	2.0	215.7	4.0	<LoQ	50.0	ND	40.0	60.9	30.0	ND	30.0
Product 14	43.1	4.0	143.3	2.0	ND	2.0	173.8	4.0	<LoQ	50.0	380.2	40.0	267.4	30.0	ND	30.0
Product 15	60.8	4.0	96.8	2.0	2.2	2.0	125.8	4.0	<LoQ	50.0	1241.8	40.0	ND	30.0	ND	30.0
Product 16	21.7	4.0	15.6	2.0	ND	2.0	12.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 17	131.0	4.0	48.9	2.0	4.3	2.0	57.8	4.0	<LoQ	50.0	ND	40.0	159.1	60.0	ND	30.0
Product 18	184.9	4.0	179.3	2.0	13.6	2.0	863.8	4.0	<LoQ	50.0	44.2	40.0	112.9	30.0	ND	30.0
Product 19	12.5	4.0	13.5	2.0	ND	2.0	19.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 20	26.4	4.0	26.0	2.0	4.5	2.0	180.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 21	329.0	4.0	8.6	2.0	6.7	2.0	6.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 22	13.2	4.0	13.3	2.0	ND	2.0	12.9	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 23	313.9	4.0	72.2	2.0	12.0	2.0	71.9	4.0	ND	50.0	<LoQ	40.0	117.8	30.0	ND	30.0
Product 24	4.5	4.0	2.7	2.0	ND	2.0	21.5	4.0	ND	50.0	ND	40.0	60.2	30.0	ND	30.0
Product 25	291.1	4.0	27.1	2.0	2.8	2.0	11.1	4.0	ND	50.0	ND	40.0	345.0	30.0	ND	30.0
Product 26	97.8	4.0	91.4	2.0	4.0	2.0	66.9	4.0	ND	50.0	52.5	40.0	62.1	30.0	ND	30.0
Product 27	318.7	4.0	100.4	2.0	6.1	2.0	167.6	4.0	<LoQ	50.0	102.1	40.0	61.4	30.0	ND	30.0
Product 28	155.8	4.0	59.7	2.0	16.7	2.0	394.5	4.0	460.2	50.0	86.5	40.0	276.0	30.0	ND	30.0
Product 29	3169.8	4.0	200.5	2.0	54.9	2.0	38.7	4.0	ND	50.0	ND	40.0	39.5	30.0	ND	30.0
Product 30	8.7	4.0	22.8	2.0	ND	2.0	9.4	4.0	ND	50.0	179.8	40.0	ND	30.0	ND	30.0
Product 31	203.3	33.4	29.3	16.7	<LoQ	16.7	225.7	33.4	<LoQ	50.0	ND	40.0	421.4	30.0	ND	30.0
Product 32	5.7	4.0	13.6	2.0	ND	2.0	5.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 33	14.7	4.0	26.8	2.0	ND	2.0	12.5	4.0	<LoQ	50.0	94.2	40.0	<LoQ	30.0	ND	30.0
Product 34	340.6	4.0	44.4	2.0	7.0	2.0	123.0	4.0	ND	50.0	49.4	40.0	83.7	30.0	ND	30.0
Product 35	312.3	4.0	446.4	2.0	7.8	2.0	357.7	4.0	ND	50.0	ND	40.0	254.6	30.0	ND	30.0
Product 36	20.7	4.0	55.3	2.0	ND	2.0	14.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 37	515.5	4.0	75.6	2.0	22.4	2.0	338.9	4.0	ND	50.0	46.4	40.0	ND	30.0	ND	30.0
Product 38	11.7	4.0	21.3	2.0	ND	2.0	6.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 39	257.5	4.0	24.8	2.0	ND	2.0	246.1	4.0	<LoQ	50.0	41.9	40.0	242.1	30.0	ND	30.0
Product 40	127.5	4.0	34.4	2.0	2.9	2.0	46.1	4.0	<LoQ	50.0	144.3	40.0	260.3	30.0	ND	30.0
Product 41	7.7	4.0	2.9	2.0	ND	2.0	7.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 42	821.1	4.0	103.1	2.0	13.3	2.0	194.0	4.0	<LoQ	50.0	<LoQ	40.0	140.6	30.0	ND	30.0
Product 43	12.7	4.0	ND	2.0	ND	2.0	33.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 44	346.1	4.0	15.4	2.0	27.9	2.0	11.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 45	11.7	4.0	57.5	2.0	ND	2.0	27.9	4.0	ND	50.0	227.7	40.0	45.1	30.0	ND	30.0
Product 46	12.1	4.0	10.0	2.0	ND	2.0	39.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 47	125.8	4.0	70.3	2.0	3.6	2.0	80.3	4.0	ND	50.0	67.9	40.0	145.8	30.0	ND	30.0
Product 48	90.5	4.0	ND	2.0	ND	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 49	4.5	4.0	20.2	2.0	ND	2.0	8.6	4.0	ND	50.0	479.8	40.0	133.5	30.0	ND	30.0
Product 50	23.7	4.0	6.7	2.0	<LoQ	2.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	60.0	ND	30.0
Product 51	1086.1	4.0	68.1	2.0	20.8	2.0	342.5	4.0	<LoQ	50.0	<LoQ	40.0	224.0	30.0	ND	30.0
Product 52	53.1	4.0	9.6	2.0	6.1	2.0	5.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 53	274.5	33.0	91.0	16.5	<LoQ	16.5	134.2	33.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 54	28.2	16.5	<LoQ	8.2	<LoQ	8.2	<LoQ	16.5	ND	50.0	ND	40.0	<LoQ	60.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 55	20.4	4.0	43.1	2.0	ND	2.0	9.2	4.0	ND	50.0	ND	40.0	68.5	30.0	ND	30.0
Product 56	111.8	4.0	64.8	2.0	4.0	2.0	62.1	4.0	ND	50.0	ND	40.0	<LoQ	30.0	ND	30.0
Product 57	51.5	4.0	43.5	2.0	ND	2.0	34.4	4.0	ND	50.0	99.5	40.0	52.4	30.0	ND	30.0
Product 58	248.0	4.0	115.9	2.0	19.4	2.0	219.3	4.0	ND	50.0	ND	NA	31.2	30.0	ND	30.0
Product 59	191.0	4.0	39.0	2.0	3.1	2.0	88.2	4.0	<LoQ	50.0	<LoQ	40.0	31.9	30.0	ND	30.0
Product 60	4.6	4.0	16.2	2.0	ND	2.0	ND	4.0	ND	50.0	154.2	40.0	ND	30.0	ND	30.0
Product 61	11.0	4.0	21.2	2.0	ND	2.0	25.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 62	28.2	4.0	26.3	2.0	2.8	2.0	15.8	4.0	ND	50.0	<LoQ	40.0	ND	60.0	ND	30.0
Product 63	119.0	4.0	54.8	2.0	3.1	2.0	141.1	4.0	ND	50.0	44.2	NA	221.1	30.0	ND	30.0
Product 64	127.0	4.0	45.5	2.0	4.0	2.0	82.5	4.0	<LoQ	50.0	138.3	40.0	60.5	30.0	ND	30.0
Product 65	25.2	4.0	21.0	2.0	ND	2.0	27.7	4.0	ND	50.0	ND	40.0	51.1	30.0	ND	30.0
Product 66	17.9	4.0	25.5	2.0	ND	2.0	37.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 67	410.0	4.0	140.6	2.0	11.9	2.0	84.9	4.0	ND	50.0	ND	40.0	249.3	30.0	ND	30.0
Product 68	7.7	4.0	6.6	2.0	ND	2.0	11.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 69	21.2	4.0	149.1	2.0	9.6	2.0	370.8	4.0	ND	50.0	<LoQ	40.0	60.7	30.0	ND	30.0
Product 70	5.2	4.0	ND	2.0	ND	2.0	5.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 71	21.0	4.0	46.7	2.0	ND	2.0	149.3	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 72	571.9	4.0	52.4	2.0	12.3	2.0	275.8	4.0	ND	50.0	<LoQ	40.0	73.7	30.0	ND	30.0
Product 73	6.3	4.0	65.2	2.0	ND	2.0	12.5	4.0	ND	50.0	<LoQ	40.0	71.5	30.0	ND	30.0
Product 74	108.0	4.0	10.6	2.0	ND	2.0	21.2	4.0	ND	50.0	ND	40.0	55.6	30.0	ND	30.0
Product 75	114.0	4.0	42.5	2.0	4.0	2.0	104.8	4.0	<LoQ	50.0	ND	40.0	76.9	30.0	ND	30.0
Product 76	23.2	4.0	46.1	2.0	2.8	2.0	12.3	4.0	ND	50.0	ND	40.0	80.2	30.0	ND	30.0
Product 77	17.1	4.0	69.8	2.0	ND	2.0	29.2	4.0	ND	50.0	ND	40.0	35.9	30.0	ND	30.0
Product 78	867.4	4.0	86.0	2.0	28.5	2.0	137.1	4.0	ND	50.0	ND	40.0	84.2	30.0	31.8	30.0
Product 79	ND	4.0	ND	2.0	ND	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 80	130.4	4.0	48.0	2.0	10.7	2.0	138.6	4.0	<LoQ	50.0	ND	40.0	99.2	30.0	ND	30.0
Product 81	163.8	4.0	43.3	2.0	ND	2.0	65.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 82	72.5	4.0	38.3	2.0	15.4	2.0	123.0	4.0	ND	50.0	ND	40.0	90.2	30.0	ND	30.0
Product 83	907.6	4.0	93.2	2.0	10.8	2.0	489.8	4.0	ND	50.0	53.6	40.0	ND	30.0	ND	30.0
Product 84	11.0	4.0	22.0	2.0	ND	2.0	32.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 85	429.2	4.0	32.1	2.0	6.0	2.0	15.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 86	37.8	4.0	14.6	2.0	ND	2.0	10.6	4.0	<LoQ	50.0	ND	40.0	62.7	30.0	ND	30.0
Product 87	89.3	4.0	48.4	2.0	ND	2.0	38.7	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 88	31.1	16.8	36.9	8.4	<LoQ	8.4	49.6	16.8	2818.0	50.0	ND	40.0	311.1	30.0	ND	30.0
Product 89	37.6	4.0	17.3	2.0	ND	2.0	13.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 90	9.2	4.0	72.5	2.0	ND	2.0	11.9	4.0	ND	50.0	108.3	40.0	76.0	30.0	ND	30.0
Product 91	5.4	4.0	43.9	2.0	ND	2.0	8.6	4.0	ND	50.0	<LoQ	40.0	36.0	30.0	ND	30.0
Product 92	9.2	4.0	16.7	2.0	ND	2.0	6.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 93	108.8	4.0	38.4	2.0	5.6	2.0	110.7	4.0	ND	50.0	215.3	40.0	55.4	30.0	ND	30.0
Product 94	38.1	4.0	39.7	2.0	ND	2.0	98.2	4.0	ND	50.0	ND	40.0	43.6	30.0	ND	30.0
Product 95	349.9	4.0	90.9	2.0	15.7	2.0	85.4	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 96	85.5	4.0	39.9	2.0	ND	2.0	124.3	4.0	ND	50.0	ND	40.0	177.2	30.0	ND	30.0
Product 97	764.4	4.0	159.2	2.0	30.8	2.0	91.4	4.0	<LoQ	50.0	53.8	40.0	482.9	30.0	ND	30.0
Product 98	58.5	17.0	<LoQ	8.5	<LoQ	8.5	<LoQ	17.0	ND	50.0	ND	40.0	ND	60.0	ND	30.0
Product 99	959.5	4.0	101.2	2.0	47.3	2.0	59.2	4.0	ND	50.0	56.1	40.0	54.7	30.0	ND	30.0
Product 100	46.8	4.0	152.5	2.0	ND	2.0	40.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 101	75.3	4.0	27.2	2.0	3.6	2.0	102.7	4.0	ND	50.0	48.9	40.0	145.7	30.0	ND	30.0
Product 102	64.1	4.0	26.0	2.0	4.5	2.0	352.6	4.0	ND	50.0	179.4	40.0	137.6	30.0	ND	30.0
Product 103	296.1	4.0	3.2	2.0	ND	2.0	5.2	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 104	26.6	4.0	35.4	2.0	3.4	2.0	72.9	4.0	ND	50.0	45.4	40.0	213.1	30.0	ND	30.0
Product 105	31.4	4.0	14.2	2.0	ND	2.0	7.3	4.0	ND	50.0	48.7	40.0	ND	30.0	ND	30.0
Product 106	28.0	4.0	50.1	2.0	ND	2.0	43.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 107	454.3	4.0	78.9	2.0	18.4	2.0	16.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 108	15.1	4.0	3.6	2.0	ND	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 109	2504.5	4.0	79.3	2.0	48.8	2.0	34.0	4.0	ND	50.0	55.8	40.0	173.6	30.0	ND	30.0
Product 110	17.6	4.0	10.2	2.0	ND	2.0	37.8	4.0	ND	50.0	ND	40.0	35.0	30.0	ND	30.0
Product 111	244.7	4.0	48.9	2.0	11.8	2.0	94.5	4.0	<LoQ	50.0	ND	40.0	40.8	30.0	ND	30.0
Product 112	11.3	4.0	2.1	2.0	ND	2.0	14.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 113	14.5	4.0	65.2	2.0	ND	2.0	52.3	4.0	ND	50.0	ND	40.0	291.6	30.0	ND	30.0
Product 114	15.6	4.0	25.0	2.0	ND	2.0	35.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 115	146.1	4.0	248.5	2.0	6.8	2.0	96.6	4.0	ND	50.0	40.9	40.0	76.7	30.0	ND	30.0
Product 116	15.5	4.0	13.5	2.0	ND	2.0	181.4	4.0	ND	50.0	ND	40.0	68.1	30.0	ND	30.0
Product 117	24.8	4.0	257.7	2.0	3.3	2.0	29.3	4.0	ND	50.0	<LoQ	40.0	276.1	30.0	ND	30.0
Product 118	32.2	4.0	32.0	2.0	ND	2.0	139.5	4.0	ND	50.0	<LoQ	40.0	38.9	30.0	ND	30.0
Product 119	135.7	4.0	13.5	2.0	17.0	2.0	24.6	4.0	ND	50.0	ND	42.0	ND	30.0	ND	30.0
Product 120	182.5	4.0	61.1	2.0	6.5	2.0	98.1	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 121	32.4	4.0	10.7	2.0	ND	2.0	34.2	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 122	297.8	4.0	66.5	2.0	9.6	2.0	150.4	4.0	ND	50.0	92.2	40.0	94.1	30.0	ND	30.0
Product 123	63.6	4.0	10.0	2.0	ND	2.0	9.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 124	ND	4.0	21.0	2.0	ND	2.0	6.1	4.0	ND	50.0	ND	40.0	88.4	30.0	ND	30.0
Product 125	10.5	4.0	25.8	2.0	ND	2.0	16.9	4.0	ND	50.0	ND	40.0	75.6	30.0	ND	30.0
Product 126	8.0	4.0	32.1	2.0	ND	2.0	36.0	4.0	ND	50.0	ND	40.0	99.0	30.0	ND	30.0
Product 127	53.9	4.0	37.4	2.0	ND	2.0	179.8	4.0	ND	50.0	ND	NA	48.4	30.0	ND	30.0
Product 128	9.1	4.0	ND	2.0	ND	2.0	6.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 129	589.0	4.0	97.2	2.0	35.2	2.0	10.8	4.0	ND	50.0	<LoQ	40.0	69.9	30.0	ND	30.0
Product 130	9.9	4.0	2.2	2.0	ND	2.0	12.6	4.0	ND	50.0	NA	NA	ND	30.0	ND	30.0
Product 131	NA	NA	NA	NA	NA	NA	NA	NA	<LoQ	50.0	58.8	40.0	125.6	30.0	ND	30.0
Product 132	<LoQ	16.7	25.1	8.3	<LoQ	8.3	<LoQ	16.7	<LoQ	50.0	ND	40.0	ND	60.0	ND	30.0
Product 133	199.9	4.0	49.3	2.0	3.8	2.0	76.8	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 134	14.0	4.0	17.5	2.0	ND	2.0	23.5	4.0	ND	50.0	ND	40.0	35.6	30.0	ND	30.0
Product 135	81.8	4.0	29.1	2.0	ND	2.0	14.9	4.0	ND	50.0	ND	40.0	38.2	30.0	ND	30.0
Product 136	193.8	4.0	128.5	2.0	2.3	2.0	96.0	4.0	ND	50.0	112.2	40.0	174.6	30.0	ND	30.0
Product 137	195.4	4.0	43.6	2.0	2.6	2.0	75.6	4.0	ND	50.0	62.7	40.0	79.6	30.0	ND	30.0
Product 138	14.3	4.0	30.5	2.0	ND	2.0	16.1	4.0	ND	50.0	188.4	40.0	ND	30.0	ND	30.0
Product 139	5.4	4.0	ND	2.0	ND	2.0	ND	4.0	ND	50.0	ND	40.0	46.3	30.0	ND	30.0
Product 140	185.4	4.0	33.3	2.0	10.4	2.0	112.4	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 141	6.0	4.0	12.1	2.0	ND	2.0	30.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 142	42.1	4.0	41.9	2.0	ND	2.0	79.5	4.0	ND	50.0	ND	40.0	448.3	30.0	ND	30.0
Product 143	36.4	4.0	75.5	2.0	ND	2.0	272.6	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 144	8.0	4.0	12.6	2.0	ND	2.0	8.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 145	68.6	4.0	23.8	2.0	ND	2.0	20.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 146	86.6	4.0	40.0	2.0	ND	2.0	35.2	4.0	ND	50.0	ND	40.0	44.5	30.0	ND	30.0
Product 147	1198.7	4.0	21.0	2.0	37.3	2.0	ND	4.0	ND	50.0	ND	40.0	37.5	30.0	ND	30.0
Product 148	11.4	4.0	23.2	2.0	ND	2.0	41.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 149	413.0	32.8	28.5	16.4	<LoQ	16.4	282.8	32.8	<LoQ	50.0	ND	40.0	127.2	30.0	ND	30.0
Product 150	97.2	4.0	36.9	2.0	ND	2.0	256.3	4.0	ND	50.0	<LoQ	40.0	85.5	30.0	ND	30.0
Product 151	274.7	4.0	73.9	2.0	13.0	2.0	85.5	4.0	ND	50.0	ND	40.0	44.7	30.0	ND	30.0
Product 152	211.2	4.0	11.9	2.0	13.3	2.0	271.9	4.0	ND	50.0	ND	40.0	59.4	30.0	ND	30.0
Product 153	894.5	4.0	59.4	2.0	25.1	2.0	308.6	4.0	100.2	50.0	155.0	40.0	224.1	30.0	ND	30.0
Product 154	115.4	4.0	45.6	2.0	9.7	2.0	214.9	4.0	ND	50.0	64.1	40.0	36.5	30.0	ND	30.0
Product 155	605.5	4.0	101.3	2.0	34.8	2.0	54.6	4.0	<LoQ	50.0	58.3	40.0	71.7	30.0	ND	30.0
Product 156	959.1	4.0	39.3	2.0	13.4	2.0	310.4	4.0	ND	50.0	ND	40.0	233.8	30.0	ND	30.0
Product 157	16.7	4.0	38.2	2.0	ND	2.0	56.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 158	331.3	4.0	58.0	2.0	5.5	2.0	8.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 159	56.0	4.0	52.1	2.0	6.4	2.0	146.7	4.0	ND	50.0	898.1	40.0	ND	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 160	97.3	4.0	41.9	2.0	3.1	2.0	46.3	4.0	<LoQ	50.0	ND	40.0	139.1	30.0	ND	30.0
Product 161	1863.8	4.0	84.6	2.0	27.8	2.0	211.8	4.0	ND	50.0	56.0	40.0	71.8	30.0	ND	30.0
Product 162	137.9	4.0	36.5	2.0	ND	2.0	106.5	4.0	ND	50.0	49.0	NA	172.0	30.0	ND	30.0
Product 163	97.7	4.0	81.8	2.0	6.4	2.0	10.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 164	53.4	4.0	26.2	2.0	ND	2.0	114.1	4.0	ND	50.0	ND	40.0	109.2	30.0	ND	30.0
Product 165	91.6	4.0	36.1	2.0	5.6	2.0	245.4	4.0	ND	50.0	126.2	40.0	ND	30.0	ND	30.0
Product 166	ND	4.0	2.2	2.0	ND	2.0	7.0	4.0	ND	50.0	ND	40.0	46.0	30.0	ND	30.0
Product 167	683.2	4.0	7.0	2.0	159.0	2.0	11.8	4.0	ND	50.0	<LoQ	40.0	<LoQ	30.0	ND	30.0
Product 168	22.4	4.0	ND	2.0	6.6	2.0	ND	4.0	ND	50.0	ND	40.0	<LoQ	30.0	ND	30.0
Product 169	8.8	4.0	12.7	2.0	ND	2.0	50.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 170	10.6	4.0	10.8	2.0	ND	2.0	6.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 171	145.9	4.0	52.5	2.0	3.9	2.0	118.9	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 172	158.6	4.0	41.8	2.0	4.0	2.0	136.8	4.0	<LoQ	50.0	<LoQ	40.0	155.2	30.0	ND	30.0
Product 173	226.6	4.0	35.4	2.0	3.0	2.0	64.6	4.0	ND	50.0	ND	40.0	72.2	30.0	ND	30.0
Product 174	97.0	4.0	9.5	2.0	6.0	2.0	5.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 175	181.7	4.0	36.8	2.0	ND	2.0	77.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 176	77.2	4.0	13.9	2.0	3.2	2.0	197.4	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 177	85.6	4.0	22.4	2.0	4.4	2.0	228.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 178	55.0	4.0	46.4	2.0	ND	2.0	78.2	4.0	121.2	50.0	ND	NA	ND	30.0	ND	30.0
Product 179	87.3	33.2	30.6	16.6	<LoQ	16.6	166.7	33.2	<LoQ	50.0	ND	40.0	111.6	30.0	ND	30.0
Product 180	19.3	4.0	46.4	2.0	ND	2.0	9.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 181	304.6	4.0	54.0	2.0	20.1	2.0	194.1	4.0	ND	50.0	71.2	40.0	70.3	30.0	ND	30.0
Product 182	ND	4.0	3.2	2.0	ND	2.0	4.7	4.0	ND	50.0	ND	40.0	36.8	30.0	ND	30.0
Product 183	78.0	4.0	8.7	2.0	2.9	2.0	66.2	4.0	ND	50.0	502.6	40.0	78.7	30.0	ND	30.0
Product 184	32.6	4.0	9.2	2.0	ND	2.0	40.8	4.0	ND	50.0	ND	40.0	63.1	30.0	ND	30.0
Product 185	18.2	4.0	7.7	2.0	<LoQ	2.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	60.0	ND	30.0
Product 186	51.3	4.0	75.1	2.0	2.8	2.0	98.4	4.0	<LoQ	50.0	407.9	40.0	<LoQ	30.0	ND	30.0
Product 187	179.7	4.0	68.4	2.0	5.9	2.0	176.9	4.0	ND	50.0	ND	40.0	60.4	30.0	ND	30.0
Product 188	ND	4.0	3.3	2.0	ND	2.0	7.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 189	122.1	4.0	28.0	2.0	<LoQ	2.0	67.4	4.0	ND	50.0	ND	40.0	109.8	30.0	ND	30.0
Product 190	179.4	4.0	68.0	2.0	6.2	2.0	218.0	4.0	ND	50.0	ND	NA	190.6	30.0	ND	30.0
Product 191	27.3	4.0	135.9	2.0	ND	2.0	17.1	4.0	ND	50.0	185.8	40.0	ND	30.0	ND	30.0
Product 192	387.9	4.0	73.2	2.0	81.6	2.0	58.9	4.0	ND	50.0	<LoQ	40.0	218.4	30.0	ND	30.0
Product 193	68.6	4.0	195.7	2.0	2.4	2.0	54.8	4.0	ND	50.0	40.5	40.0	100.6	30.0	ND	30.0
Product 194	76.8	4.0	14.0	2.0	ND	2.0	59.4	4.0	NA	50.0	ND	40.0	ND	30.0	ND	30.0
Product 195	85.3	4.0	65.6	2.0	18.4	2.0	138.8	4.0	<LoQ	50.0	265.2	40.0	206.9	30.0	ND	30.0
Product 196	18.1	4.0	81.5	2.0	ND	2.0	73.2	4.0	ND	50.0	ND	40.0	123.2	30.0	ND	30.0
Product 197	9.4	4.0	9.4	2.0	ND	2.0	24.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 198	19.3	4.0	49.0	2.0	ND	2.0	74.4	4.0	ND	50.0	53.3	40.0	ND	30.0	ND	30.0
Product 199	76.9	4.0	54.9	2.0	4.2	2.0	65.5	4.0	ND	50.0	ND	40.0	133.9	30.0	ND	30.0
Product 200	129.2	4.0	34.4	2.0	2.1	2.0	122.7	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 201	134.7	4.0	39.4	2.0	ND	2.0	53.7	4.0	ND	50.0	52.2	40.0	75.8	30.0	ND	30.0
Product 202	224.4	4.0	71.3	2.0	15.0	2.0	189.7	4.0	ND	50.0	53.5	40.0	89.2	30.0	ND	30.0
Product 203	61.4	4.0	50.9	2.0	4.2	2.0	745.1	4.0	ND	50.0	54.9	40.0	135.5	30.0	ND	30.0
Product 204	35.9	4.0	38.3	2.0	ND	2.0	119.3	4.0	ND	50.0	52.2	40.0	74.8	30.0	ND	30.0
Product 205	7.5	4.0	6.4	2.0	ND	2.0	8.7	4.0	ND	50.0	ND	40.0	72.1	30.0	ND	30.0
Product 206	944.6	4.0	33.0	2.0	14.7	2.0	79.1	4.0	ND	50.0	ND	40.0	524.2	30.0	ND	30.0
Product 207	108.8	4.0	90.8	2.0	5.5	2.0	485.6	4.0	<LoQ	50.0	71.3	40.0	34.8	30.0	ND	30.0
Product 208	9.0	4.0	33.5	2.0	ND	2.0	25.1	4.0	ND	50.0	ND	NA	92.6	30.0	ND	30.0
Product 209	734.4	4.0	42.7	2.0	20.9	2.0	385.1	4.0	<LoQ	50.0	ND	NA	ND	30.0	ND	30.0
Product 210	506.4	4.0	144.0	2.0	13.5	2.0	190.2	4.0	<LoQ	50.0	ND	40.0	71.8	60.0	ND	30.0
Product 211	51.5	4.0	16.1	2.0	ND	2.0	64.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 212	75.7	4.0	33.1	2.0	4.4	2.0	74.2	4.0	ND	50.0	ND	40.0	69.4	30.0	ND	30.0
Product 213	212.1	4.0	105.8	2.0	12.0	2.0	449.4	4.0	<LoQ	50.0	ND	40.0	74.0	30.0	ND	30.0
Product 214	266.1	4.0	30.4	2.0	10.1	2.0	146.6	4.0	<LoQ	50.0	742.0	40.0	<LoQ	30.0	ND	30.0
Product 215	57.1	4.0	43.7	2.0	2.4	2.0	122.0	4.0	ND	50.0	48.7	40.0	ND	30.0	ND	30.0
Product 216	4.0	4.0	4.1	2.0	ND	2.0	ND	4.0	ND	50.0	169.6	40.0	156.2	30.0	ND	30.0
Product 217	10.3	4.0	36.5	2.0	ND	2.0	15.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 218	91.0	16.2	35.9	8.1	<LoQ	8.1	220.9	16.2	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 219	146.2	4.0	36.1	2.0	2.4	2.0	120.5	4.0	<LoQ	50.0	ND	NA	172.3	30.0	ND	30.0
Product 220	965.1	4.0	12.6	2.0	10.5	2.0	43.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 221	ND	4.0	16.3	2.0	ND	2.0	26.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 222	149.7	4.0	142.0	2.0	2.0	2.0	93.1	4.0	ND	50.0	ND	40.0	168.6	30.0	ND	30.0
Product 223	71.9	4.0	70.0	2.0	3.0	2.0	74.2	4.0	<LoQ	50.0	100.2	40.0	82.4	30.0	ND	30.0
Product 224	3256.3	4.0	113.0	2.0	51.1	2.0	249.3	4.0	ND	50.0	<LoQ	40.0	32.5	30.0	ND	30.0
Product 225	467.3	4.0	14.4	2.0	19.2	2.0	8.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 226	1661.2	4.0	23.6	2.0	30.2	2.0	ND	4.0	ND	50.0	ND	40.0	118.5	30.0	ND	30.0
Product 227	25.1	4.0	22.2	2.0	ND	2.0	64.7	4.0	ND	50.0	ND	40.0	95.6	30.0	ND	30.0
Product 228	61.5	4.0	35.6	2.0	10.8	2.0	173.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 229	76.0	4.0	77.3	2.0	2.9	2.0	120.3	4.0	<LoQ	50.0	73.5	40.0	94.7	30.0	ND	30.0
Product 230	78.1	4.0	10.3	2.0	ND	2.0	21.5	4.0	<LoQ	50.0	ND	40.0	42.9	30.0	ND	30.0
Product 231	17.1	4.0	23.2	2.0	ND	2.0	13.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 232	659.5	4.0	247.5	2.0	ND	2.0	46.9	4.0	<LoQ	50.0	41.1	40.0	42.8	30.0	ND	30.0
Product 233	105.9	4.0	27.6	2.0	ND	2.0	263.9	4.0	ND	50.0	86.2	40.0	260.2	30.0	ND	30.0
Product 234	53.6	4.0	61.4	2.0	ND	2.0	42.1	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 235	5.3	4.0	10.8	2.0	ND	2.0	5.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 236	8.4	4.0	8.0	2.0	ND	2.0	9.1	4.0	ND	50.0	ND	40.0	58.1	30.0	ND	30.0
Product 237	6.6	4.0	69.7	2.0	ND	2.0	19.3	4.0	ND	50.0	45.9	40.0	87.6	30.0	ND	30.0
Product 238	826.0	4.0	16.3	2.0	102.4	2.0	9.7	4.0	<LoQ	50.0	51.1	40.0	61.4	30.0	ND	30.0
Product 239	7.9	4.0	11.0	2.0	ND	2.0	7.3	4.0	ND	50.0	ND	40.0	37.4	30.0	ND	30.0
Product 240	35.7	4.0	29.5	2.0	2.1	2.0	170.3	4.0	ND	50.0	ND	40.0	68.2	30.0	ND	30.0
Product 241	24.8	16.7	8.4	8.4	<LoQ	8.4	<LoQ	16.7	104.7	50.0	ND	40.0	ND	60.0	ND	30.0
Product 242	29.6	4.0	18.9	2.0	ND	2.0	ND	4.0	<LoQ	50.0	ND	40.0	101.6	30.0	ND	30.0
Product 243	6.9	4.0	8.6	2.0	ND	2.0	8.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 244	12.0	4.0	85.8	2.0	ND	2.0	4.5	4.0	ND	50.0	60.0	40.0	ND	30.0	ND	30.0
Product 245	114.4	4.0	96.0	2.0	2.8	2.0	44.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 246	59.0	4.0	34.9	2.0	3.1	2.0	69.0	4.0	ND	50.0	ND	40.0	80.6	30.0	ND	30.0
Product 247	23.8	4.0	7.9	2.0	ND	2.0	17.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 248	56.7	4.0	26.8	2.0	ND	2.0	44.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 249	ND	4.0	12.3	2.0	ND	2.0	7.6	4.0	ND	50.0	ND	40.0	55.1	30.0	ND	30.0
Product 250	5.5	4.0	9.5	2.0	ND	2.0	5.7	4.0	ND	50.0	ND	40.0	62.2	30.0	ND	30.0
Product 251	11.2	4.0	16.2	2.0	2.8	2.0	45.5	4.0	<LoQ	50.0	ND	40.0	83.2	60.0	ND	30.0
Product 252	21.6	4.0	78.5	2.0	ND	2.0	20.2	4.0	ND	50.0	ND	40.0	48.4	30.0	ND	30.0
Product 253	116.3	4.0	33.1	2.0	ND	2.0	130.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 254	ND	4.0	18.7	2.0	ND	2.0	5.4	4.0	<LoQ	50.0	115.2	40.0	ND	30.0	ND	30.0
Product 255	262.8	4.0	30.6	2.0	9.6	2.0	305.0	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 256	39.0	4.0	25.7	2.0	ND	2.0	30.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 257	4.0	4.0	4.2	2.0	ND	2.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 258	1244.8	4.0	193.8	2.0	18.8	2.0	259.8	4.0	<LoQ	50.0	691.8	40.0	186.9	30.0	ND	30.0
Product 259	14.9	4.0	897.4	2.0	5.7	2.0	55.5	4.0	ND	50.0	ND	40.0	411.5	30.0	ND	30.0
Product 260	36.3	4.0	22.2	2.0	ND	2.0	47.3	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 261	5.7	4.0	16.5	2.0	ND	2.0	ND	4.0	ND	50.0	40.2	40.0	<LoQ	30.0	ND	30.0
Product 262	70.4	4.0	57.8	2.0	ND	2.0	34.3	4.0	<LoQ	50.0	42.3	40.0	50.7	30.0	ND	30.0
Product 263	21.8	4.0	30.0	2.0	2.4	2.0	277.5	4.0	ND	50.0	91.9	40.0	302.4	30.0	ND	30.0
Product 264	51.4	4.0	53.8	2.0	ND	2.0	1034.0	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 265	ND	4.0	32.4	2.0	ND	2.0	12.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 266	341.5	4.0	50.0	2.0	6.1	2.0	54.8	4.0	ND	50.0	ND	40.0	35.7	30.0	ND	30.0
Product 267	121.8	4.0	20.3	2.0	ND	2.0	27.8	4.0	<LoQ	50.0	41.8	40.0	ND	30.0	ND	30.0
Product 268	30.1	16.0	33.8	8.0	<LoQ	8.0	56.9	16.0	<LoQ	50.0	ND	40.0	115.4	30.0	ND	30.0
Product 269	16.6	4.0	7.4	2.0	ND	2.0	27.5	4.0	ND	50.0	ND	40.0	47.6	30.0	ND	30.0
Product 270	207.1	4.0	91.2	2.0	4.3	2.0	246.3	4.0	ND	50.0	<LoQ	40.0	56.3	30.0	ND	30.0
Product 271	169.9	4.0	40.1	2.0	2.3	2.0	93.8	4.0	ND	50.0	88.0	40.0	173.4	30.0	ND	30.0
Product 272	52.3	4.0	8.4	2.0	3.2	2.0	11.6	4.0	ND	50.0	ND	40.0	62.5	30.0	ND	30.0
Product 273	107.6	4.0	33.2	2.0	7.1	2.0	245.1	4.0	162.0	50.0	210.8	40.0	94.0	30.0	ND	30.0
Product 274	385.0	4.0	32.6	2.0	9.4	2.0	418.1	4.0	ND	50.0	77.5	40.0	141.5	30.0	ND	30.0
Product 275	6.5	4.0	ND	2.0	ND	2.0	4.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 276	19.5	4.0	9.2	2.0	ND	2.0	12.3	4.0	ND	50.0	ND	40.0	<LoQ	30.0	ND	30.0
Product 277	6.2	4.0	11.3	2.0	ND	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 278	84.5	4.0	63.9	2.0	20.9	2.0	290.7	4.0	ND	50.0	49.2	40.0	161.8	30.0	ND	30.0
Product 279	34.8	4.0	112.5	2.0	7.8	2.0	94.1	4.0	<LoQ	50.0	203.8	40.0	205.5	30.0	ND	30.0
Product 280	12.7	4.0	10.4	2.0	ND	2.0	10.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 281	142.8	4.0	56.2	2.0	2.8	2.0	62.8	4.0	<LoQ	50.0	54.4	40.0	ND	30.0	ND	30.0
Product 282	57.5	4.0	30.8	2.0	ND	2.0	67.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 283	17.9	4.0	12.9	2.0	ND	2.0	12.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 284	7.5	4.0	25.5	2.0	ND	2.0	23.9	4.0	<LoQ	50.0	ND	NA	ND	30.0	ND	30.0
Product 285	59.7	4.0	50.3	2.0	2.1	2.0	77.2	4.0	68.1	50.0	129.0	40.0	ND	30.0	ND	30.0
Product 286	NA	NA	NA	NA	NA	NA	NA	NA	<LoQ	50.0	<LoQ	40.0	34.0	30.0	ND	30.0
Product 287	83.8	4.0	13.9	2.0	5.5	2.0	20.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 288	1432.5	4.0	47.4	2.0	21.7	2.0	14.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 289	444.3	4.0	30.8	2.0	32.3	2.0	132.2	4.0	<LoQ	50.0	ND	40.0	83.1	60.0	ND	30.0
Product 290	53.7	4.0	31.3	2.0	ND	2.0	46.9	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 291	339.7	4.0	95.4	2.0	51.7	2.0	83.6	4.0	ND	50.0	308.2	40.0	54.8	30.0	ND	30.0
Product 292	6.1	4.0	64.7	2.0	ND	2.0	21.3	4.0	ND	50.0	ND	45.0	ND	30.0	ND	30.0
Product 293	14.3	4.0	5.6	2.0	ND	2.0	39.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 294	113.0	4.0	40.2	2.0	8.7	2.0	150.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 295	26.9	4.0	26.8	2.0	ND	2.0	69.0	4.0	ND	50.0	59.3	40.0	316.3	30.0	ND	30.0
Product 296	138.3	4.0	32.7	2.0	ND	2.0	81.1	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 297	ND	4.0	6.8	2.0	ND	2.0	7.5	4.0	ND	50.0	164.3	40.0	ND	30.0	ND	30.0
Product 298	333.4	4.0	149.0	2.0	17.0	2.0	435.7	4.0	ND	50.0	ND	40.0	91.8	30.0	ND	60.0
Product 299	11.1	4.0	2.6	2.0	ND	2.0	6.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 300	6.0	4.0	6.8	2.0	ND	2.0	6.3	4.0	ND	50.0	ND	41.0	ND	30.0	ND	30.0
Product 301	736.0	4.0	47.9	2.0	14.5	2.0	73.4	4.0	ND	50.0	ND	40.0	93.0	30.0	ND	30.0
Product 302	30.1	4.0	23.6	2.0	ND	2.0	109.5	4.0	ND	50.0	<LoQ	40.0	34.0	30.0	ND	30.0
Product 303	361.4	4.0	63.2	2.0	26.5	2.0	557.9	4.0	<LoQ	50.0	276.1	40.0	414.0	30.0	ND	30.0
Product 304	137.5	4.0	64.9	2.0	2.8	2.0	101.8	4.0	<LoQ	50.0	50.9	40.0	100.9	30.0	ND	30.0
Product 305	81.7	4.0	97.8	2.0	3.6	2.0	189.2	4.0	<LoQ	50.0	40.9	40.0	160.4	30.0	ND	30.0
Product 306	89.7	4.0	99.7	2.0	ND	2.0	44.2	4.0	ND	50.0	ND	40.0	86.0	30.0	ND	30.0
Product 307	9.2	4.0	43.7	2.0	ND	2.0	29.6	4.0	ND	50.0	ND	40.0	88.2	30.0	ND	30.0
Product 308	676.7	4.0	14.9	2.0	ND	2.0	526.8	4.0	ND	50.0	ND	40.0	33.0	30.0	ND	30.0
Product 309	334.8	4.0	18.9	2.0	14.1	2.0	25.3	4.0	ND	50.0	ND	40.0	53.5	30.0	ND	30.0
Product 310	65.3	4.0	59.0	2.0	4.4	2.0	88.0	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 311	150.2	4.0	34.6	2.0	ND	2.0	34.9	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 312	32.6	4.0	7.0	2.0	ND	2.0	15.8	4.0	ND	50.0	ND	40.0	50.3	30.0	ND	30.0
Product 313	15.4	4.0	28.8	2.0	ND	2.0	30.5	4.0	ND	50.0	ND	40.0	38.0	30.0	ND	30.0
Product 314	163.4	4.0	29.9	2.0	3.0	2.0	91.9	4.0	ND	50.0	ND	40.0	80.5	30.0	ND	30.0
Product 315	228.5	4.0	52.3	2.0	8.2	2.0	183.3	4.0	ND	50.0	64.2	40.0	99.9	30.0	ND	30.0
Product 316	15.0	4.0	39.3	2.0	ND	2.0	36.9	4.0	ND	50.0	150.3	40.0	99.6	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 317	1206.9	4.0	76.9	2.0	75.8	2.0	122.6	4.0	ND	50.0	ND	40.0	168.7	30.0	ND	30.0
Product 318	7.8	4.0	16.6	2.0	ND	2.0	20.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 319	122.9	4.0	32.3	2.0	3.1	2.0	126.5	4.0	<LoQ	50.0	88.3	40.0	105.3	30.0	ND	30.0
Product 320	17.6	4.0	17.4	2.0	ND	2.0	20.3	4.0	<LoQ	50.0	50.8	40.0	70.9	30.0	ND	30.0
Product 321	448.8	4.0	53.2	2.0	11.7	2.0	68.0	4.0	<LoQ	50.0	147.8	NA	ND	30.0	ND	30.0
Product 322	236.5	4.0	75.2	2.0	6.5	2.0	137.5	4.0	ND	50.0	<LoQ	40.0	66.9	30.0	ND	30.0
Product 323	51.8	4.0	38.9	2.0	ND	2.0	76.5	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 324	4.3	4.0	8.4	2.0	ND	2.0	10.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 325	122.1	4.0	46.2	2.0	ND	2.0	108.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 326	33.1	4.0	14.6	2.0	ND	2.0	22.7	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 327	13.5	4.0	9.6	2.0	<LoQ	2.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	60.0	ND	30.0
Product 328	12.4	4.0	65.7	2.0	ND	2.0	19.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 329	42.7	4.0	24.1	2.0	2.7	2.0	108.7	4.0	ND	50.0	42.4	NA	169.7	30.0	ND	30.0
Product 330	924.6	4.0	71.5	2.0	26.1	2.0	265.2	4.0	51.4	50.0	82.9	NA	257.2	30.0	ND	30.0
Product 331	278.2	4.0	153.2	2.0	9.8	2.0	287.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 332	70.8	4.0	44.4	2.0	ND	2.0	62.3	4.0	<LoQ	50.0	ND	40.0	<LoQ	30.0	ND	30.0
Product 333	72.3	4.0	47.6	2.0	2.1	2.0	1211.9	4.0	ND	50.0	64.3	40.0	43.2	30.0	ND	30.0
Product 334	348.7	4.0	4.0	2.0	6.3	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 335	6.7	4.0	20.3	2.0	ND	2.0	17.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 336	12.6	4.0	17.6	2.0	ND	2.0	46.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 337	14.0	4.0	42.2	2.0	ND	2.0	11.7	4.0	ND	50.0	ND	40.0	39.7	30.0	ND	30.0
Product 338	359.7	4.0	93.5	2.0	6.0	2.0	177.7	4.0	<LoQ	50.0	678.3	40.0	85.4	30.0	ND	30.0
Product 339	168.7	4.0	7.7	2.0	12.4	2.0	39.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 340	144.9	4.0	26.3	2.0	4.5	2.0	194.6	4.0	ND	50.0	ND	40.0	<LoQ	60.0	ND	30.0
Product 341	34.6	4.0	32.3	2.0	ND	2.0	76.2	4.0	ND	50.0	46.3	40.0	63.9	30.0	ND	30.0
Product 342	225.2	16.2	93.0	8.1	<LoQ	8.1	85.2	16.2	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 343	168.2	4.0	34.1	2.0	9.2	2.0	159.8	4.0	<LoQ	50.0	42.1	40.0	146.5	30.0	ND	30.0
Product 344	123.1	4.0	115.7	2.0	5.3	2.0	153.0	4.0	ND	50.0	55.3	40.0	252.0	30.0	ND	30.0
Product 345	49.0	4.0	26.9	2.0	ND	2.0	78.9	4.0	<LoQ	50.0	43.7	40.0	237.6	30.0	ND	30.0
Product 346	234.6	4.0	65.5	2.0	4.3	2.0	333.6	4.0	<LoQ	50.0	ND	40.0	317.8	30.0	ND	30.0
Product 347	33.2	4.0	121.4	2.0	2.3	2.0	69.4	4.0	<LoQ	50.0	297.2	NA	239.5	30.0	ND	30.0
Product 348	151.5	4.0	18.8	2.0	5.1	2.0	13.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 349	10.4	4.0	66.9	2.0	3.0	2.0	25.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 350	117.2	4.0	16.9	2.0	<LoQ	2.0	132.7	4.0	<LoQ	50.0	ND	40.0	<LoQ	60.0	ND	30.0
Product 351	8.2	4.0	2.9	2.0	ND	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 352	466.3	4.0	35.8	2.0	13.9	2.0	34.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 353	48.2	4.0	36.4	2.0	ND	2.0	23.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 354	62.9	4.0	76.8	2.0	ND	2.0	104.0	4.0	ND	50.0	373.5	40.0	59.2	30.0	ND	30.0
Product 355	137.8	16.1	27.6	8.0	<LoQ	8.0	231.3	16.1	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 356	3639.4	4.0	105.3	2.0	45.5	2.0	245.4	4.0	ND	50.0	50.9	40.0	134.6	30.0	ND	30.0
Product 357	194.8	4.0	94.8	2.0	4.5	2.0	112.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 358	33.9	4.0	29.2	2.0	ND	2.0	106.9	4.0	<LoQ	50.0	ND	NA	155.6	30.0	ND	30.0
Product 359	474.3	4.0	20.8	2.0	25.6	2.0	15.4	4.0	ND	50.0	ND	40.0	58.5	30.0	ND	30.0
Product 360	271.4	4.0	28.9	2.0	6.3	2.0	173.4	4.0	<LoQ	50.0	ND	40.0	68.9	30.0	ND	30.0
Product 361	17.1	4.0	77.3	2.0	ND	2.0	31.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 362	112.8	4.0	45.6	2.0	ND	2.0	55.8	4.0	ND	50.0	91.5	40.0	253.6	30.0	ND	30.0
Product 363	13.0	4.0	24.9	2.0	ND	2.0	184.6	4.0	<LoQ	50.0	73.1	40.0	ND	30.0	ND	30.0
Product 364	465.6	4.0	55.0	2.0	ND	2.0	9.8	4.0	ND	50.0	<LoQ	40.0	54.2	30.0	ND	30.0
Product 365	6.5	4.0	9.4	2.0	ND	2.0	6.9	4.0	NA	50.0	ND	40.0	ND	30.0	ND	30.0
Product 366	5.0	4.0	8.1	2.0	ND	2.0	12.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 367	76.9	16.3	27.2	8.2	<LoQ	8.2	93.2	16.3	ND	50.0	ND	40.0	71.8	30.0	ND	30.0
Product 368	12.3	4.0	12.2	2.0	ND	2.0	4.0	4.0	<LoQ	50.0	49.5	40.0	<LoQ	30.0	ND	30.0
Product 369	9.8	4.0	4.0	2.0	ND	2.0	17.9	4.0	ND	50.0	ND	40.0	<LoQ	30.0	ND	30.0



(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 370	106.2	4.0	34.4	2.0	3.1	2.0	118.3	4.0	ND	50.0	ND	NA	105.7	30.0	ND	30.0
Product 371	9.1	4.0	37.0	2.0	ND	2.0	8.6	4.0	<LoQ	50.0	88.5	40.0	<LoQ	30.0	ND	30.0
Product 372	87.5	4.0	31.9	2.0	ND	2.0	146.1	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 373	131.2	4.0	56.6	2.0	6.8	2.0	250.6	4.0	ND	50.0	ND	40.0	86.3	30.0	ND	30.0
Product 374	113.9	4.0	12.5	2.0	ND	2.0	44.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 375	7.8	4.0	20.8	2.0	ND	2.0	11.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 376	7.2	4.0	16.2	2.0	ND	2.0	6.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 377	198.1	4.0	57.6	2.0	6.5	2.0	113.2	4.0	ND	50.0	45.5	40.0	58.9	30.0	ND	30.0
Product 378	25.2	16.5	14.8	8.3	<LoQ	8.3	32.1	16.5	ND	50.0	ND	40.0	<LoQ	60.0	ND	30.0
Product 379	208.4	4.0	101.2	2.0	4.0	2.0	103.3	4.0	<LoQ	50.0	56.5	40.0	190.2	30.0	ND	30.0
Product 380	111.2	14.7	32.0	7.4	<LoQ	7.4	87.0	14.7	ND	50.0	ND	40.0	126.9	30.0	ND	30.0
Product 381	125.6	4.0	9.2	2.0	5.8	2.0	10.2	4.0	ND	50.0	ND	40.0	51.0	30.0	ND	30.0
Product 382	59.6	4.0	47.3	2.0	ND	2.0	10.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 383	12.8	4.0	28.8	2.0	ND	2.0	59.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 384	32.3	4.0	15.0	2.0	ND	2.0	29.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 385	71.8	4.0	45.1	2.0	<LoQ	2.0	124.5	4.0	ND	50.0	<LoQ	40.0	140.7	60.0	ND	30.0
Product 386	285.5	16.6	96.9	8.3	<LoQ	8.3	324.2	16.6	<LoQ	50.0	156.8	40.0	95.8	30.0	ND	30.0
Product 387	18.4	4.0	23.4	2.0	ND	2.0	31.8	4.0	ND	50.0	156.6	40.0	136.7	30.0	ND	30.0
Product 388	103.6	4.0	53.1	2.0	3.5	2.0	306.8	4.0	ND	50.0	ND	40.0	398.1	60.0	ND	30.0
Product 389	337.9	4.0	97.0	2.0	33.1	2.0	89.2	4.0	ND	50.0	62.5	40.0	ND	30.0	ND	30.0
Product 390	74.3	4.0	10.0	2.0	ND	2.0	17.1	4.0	ND	50.0	ND	40.0	51.7	30.0	ND	30.0
Product 391	155.0	4.0	48.4	2.0	4.2	2.0	16.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 392	2082.4	4.0	130.6	2.0	125.1	2.0	41.7	4.0	<LoQ	50.0	68.5	40.0	86.2	30.0	ND	30.0
Product 393	NA	NA	NA	NA	NA	NA	NA	NA	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 394	58.0	4.0	58.0	2.0	ND	2.0	46.7	4.0	<LoQ	50.0	52.3	40.0	ND	30.0	ND	30.0
Product 395	19.2	4.0	104.0	2.0	ND	2.0	18.6	4.0	ND	50.0	76.8	40.0	ND	30.0	ND	30.0
Product 396	86.5	4.0	38.9	2.0	2.9	2.0	101.7	4.0	55.3	50.0	102.5	40.0	<LoQ	30.0	ND	30.0
Product 397	19.5	4.0	45.3	2.0	ND	2.0	11.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 398	68.5	4.0	8.4	2.0	ND	2.0	9.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 399	36.8	4.0	72.9	2.0	6.0	2.0	92.1	4.0	<LoQ	50.0	62.1	40.0	ND	30.0	ND	30.0
Product 400	35.6	4.0	34.4	2.0	ND	2.0	83.9	4.0	ND	50.0	ND	40.0	146.8	30.0	ND	30.0
Product 401	4.7	4.0	3.5	2.0	ND	2.0	16.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 402	243.6	4.0	11.4	2.0	18.9	2.0	10.5	4.0	ND	50.0	ND	40.0	75.2	30.0	ND	30.0
Product 403	437.4	4.0	17.1	2.0	5.5	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 404	8153.4	4.0	8.6	2.0	80.8	2.0	8.5	4.0	ND	50.0	ND	40.0	390.5	30.0	ND	30.0
Product 405	32.8	4.0	29.0	2.0	2.1	2.0	51.2	4.0	<LoQ	50.0	86.3	40.0	107.6	30.0	ND	30.0
Product 406	84.4	4.0	66.7	2.0	9.8	2.0	149.0	4.0	ND	50.0	67.0	40.0	98.3	30.0	ND	30.0
Product 407	75.3	4.0	17.1	2.0	2.0	2.0	371.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 408	6.4	4.0	ND	2.0	ND	2.0	ND	4.0	ND	50.0	ND	40.0	42.2	30.0	ND	30.0
Product 409	52.7	4.0	34.0	2.0	2.2	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 410	66.5	4.0	54.8	2.0	ND	2.0	103.3	4.0	<LoQ	50.0	42.4	40.0	ND	30.0	ND	30.0
Product 411	12.8	4.0	43.9	2.0	ND	2.0	7.5	4.0	<LoQ	50.0	61.6	40.0	<LoQ	30.0	ND	30.0
Product 412	55.7	4.0	37.2	2.0	2.6	2.0	252.8	4.0	<LoQ	50.0	128.8	40.0	<LoQ	30.0	ND	30.0
Product 413	56.5	4.0	32.7	2.0	ND	2.0	37.7	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 414	77.2	4.0	53.6	2.0	18.2	2.0	126.8	4.0	ND	50.0	40.1	40.0	48.4	30.0	ND	30.0
Product 415	188.7	4.0	40.6	2.0	19.9	2.0	45.4	4.0	ND	50.0	48.6	40.0	58.9	30.0	ND	30.0
Product 416	401.1	4.0	5.2	2.0	8.7	2.0	6.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 417	82.3	4.0	69.4	2.0	ND	2.0	141.0	4.0	ND	50.0	ND	40.0	103.7	30.0	ND	30.0
Product 418	24.5	4.0	39.8	2.0	2.2	2.0	104.5	4.0	ND	50.0	<LoQ	40.0	156.3	30.0	ND	30.0
Product 419	185.4	4.0	46.2	2.0	6.6	2.0	217.1	4.0	ND	50.0	136.2	40.0	159.3	30.0	137.2	30.0
Product 420	20.3	4.0	38.5	2.0	3.9	2.0	78.6	4.0	ND	50.0	ND	40.0	109.8	30.0	ND	30.0
Product 421	ND	4.0	7.9	2.0	ND	2.0	5.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 422	15.4	4.0	26.9	2.0	ND	2.0	18.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 423	83.2	15.3	36.8	7.7	<LoQ	7.7	50.0	15.3	242.1	50.0	ND	40.0	150.8	30.0	ND	30.0
Product 424	121.5	4.0	40.5	2.0	49.5	2.0	38.4	4.0	ND	50.0	<LoQ	40.0	70.2	30.0	ND	30.0
Product 425	9.0	4.0	ND	2.0	2.2	2.0	42.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 426	139.1	4.0	73.6	2.0	ND	2.0	83.2	4.0	ND	50.0	ND	NA	49.8	30.0	ND	30.0
Product 427	10.3	4.0	16.9	2.0	ND	2.0	14.0	4.0	ND	50.0	ND	40.0	70.1	30.0	ND	30.0
Product 428	8.3	4.0	13.7	2.0	ND	2.0	7.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 429	18.8	4.0	18.2	2.0	ND	2.0	136.6	4.0	ND	50.0	ND	40.0	63.3	30.0	ND	30.0
Product 430	168.5	4.0	67.0	2.0	3.2	2.0	94.0	4.0	ND	50.0	43.0	40.0	65.8	30.0	ND	30.0
Product 431	53.8	4.0	8.4	2.0	ND	2.0	69.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 432	29.0	17.1	17.7	8.5	<LoQ	8.5	26.5	17.1	ND	50.0	ND	40.0	ND	60.0	ND	30.0
Product 433	98.3	4.0	22.4	2.0	ND	2.0	110.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 434	280.8	4.0	264.3	2.0	49.9	2.0	168.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 435	300.7	4.0	39.2	2.0	10.2	2.0	227.3	4.0	<LoQ	50.0	54.3	40.0	112.5	30.0	ND	30.0
Product 436	443.0	4.0	47.2	2.0	23.8	2.0	14.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 437	34.5	4.0	45.8	2.0	3.1	2.0	181.4	4.0	ND	50.0	ND	40.0	1374.7	60.0	ND	30.0
Product 438	34.7	4.0	130.9	2.0	3.0	2.0	32.1	4.0	<LoQ	50.0	51.7	40.0	31.7	30.0	ND	30.0
Product 439	81.7	4.0	29.2	2.0	ND	2.0	10.7	4.0	ND	50.0	ND	40.0	<LoQ	30.0	ND	30.0
Product 440	390.6	4.0	93.4	2.0	15.7	2.0	67.8	4.0	<LoQ	50.0	64.6	40.0	178.3	30.0	ND	30.0
Product 441	5.2	4.0	ND	2.0	ND	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 442	359.4	4.0	53.7	2.0	18.9	2.0	14.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 443	135.5	4.0	25.5	2.0	5.2	2.0	47.9	4.0	ND	50.0	<LoQ	40.0	35.0	30.0	ND	30.0
Product 444	10.6	4.0	6.1	2.0	ND	2.0	27.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 445	1112.0	4.0	18.1	2.0	53.3	2.0	ND	4.0	ND	50.0	ND	40.0	<LoQ	30.0	ND	30.0
Product 446	378.1	4.0	289.9	2.0	7.4	2.0	210.3	4.0	ND	50.0	70.5	40.0	58.1	30.0	ND	30.0
Product 447	404.8	4.0	17.3	2.0	15.3	2.0	13.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 448	166.3	4.0	63.1	2.0	17.1	2.0	794.1	4.0	530.9	50.0	68.6	40.0	210.2	30.0	ND	30.0
Product 449	212.8	4.0	78.7	2.0	3.8	2.0	108.3	4.0	ND	50.0	73.5	40.0	89.1	30.0	ND	30.0
Product 450	118.7	4.0	42.2	2.0	3.6	2.0	75.5	4.0	<LoQ	50.0	<LoQ	40.0	107.2	30.0	ND	30.0
Product 451	4.3	4.0	8.8	2.0	ND	2.0	17.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 452	45.6	4.0	31.0	2.0	7.8	2.0	149.8	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 453	31.4	4.0	30.2	2.0	2.7	2.0	88.5	4.0	ND	50.0	ND	40.0	95.6	30.0	ND	30.0
Product 454	14.5	4.0	20.1	2.0	ND	2.0	51.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 455	34.7	4.0	12.4	2.0	3.0	2.0	63.4	4.0	ND	50.0	<LoQ	40.0	44.6	30.0	ND	30.0
Product 456	145.1	4.0	54.4	2.0	12.1	2.0	168.7	4.0	ND	50.0	47.5	40.0	230.7	30.0	ND	30.0
Product 457	120.9	4.0	19.7	2.0	8.4	2.0	24.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 458	ND	4.0	ND	2.0	ND	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 459	132.5	4.0	57.5	2.0	10.1	2.0	118.8	4.0	<LoQ	50.0	620.4	40.0	245.9	30.0	ND	30.0
Product 460	14.9	4.0	19.9	2.0	ND	2.0	59.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 461	281.1	4.0	75.6	2.0	25.8	2.0	26.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 462	78.7	4.0	64.3	2.0	10.3	2.0	152.0	4.0	<LoQ	50.0	100.2	40.0	80.2	30.0	ND	30.0
Product 463	26.7	4.0	12.3	2.0	ND	2.0	14.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 464	115.2	4.0	32.1	2.0	11.0	2.0	9.3	4.0	ND	50.0	89.5	40.0	33.1	30.0	ND	30.0
Product 465	9.4	4.0	11.1	2.0	ND	2.0	18.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 466	30.7	4.0	27.2	2.0	2.0	2.0	24.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 467	5.2	4.0	5.6	2.0	ND	2.0	5.4	4.0	ND	50.0	170.3	40.0	ND	30.0	ND	30.0
Product 468	334.5	4.0	54.8	2.0	17.3	2.0	127.2	4.0	ND	50.0	234.2	40.0	38.2	30.0	ND	30.0
Product 469	15.3	4.0	8.0	2.0	ND	2.0	ND	4.0	ND	50.0	116.6	40.0	30.7	30.0	ND	30.0
Product 470	66.8	4.0	40.8	2.0	4.3	2.0	128.8	4.0	ND	50.0	41.4	40.0	106.9	30.0	ND	30.0
Product 471	148.1	4.0	33.6	2.0	2.9	2.0	100.8	4.0	<LoQ	50.0	ND	NA	174.8	30.0	ND	30.0
Product 472	98.3	4.0	55.7	2.0	21.0	2.0	277.0	4.0	ND	50.0	61.2	40.0	110.0	30.0	ND	30.0
Product 473	50.5	4.0	37.1	2.0	3.2	2.0	49.5	4.0	ND	50.0	60.2	40.0	127.8	30.0	ND	30.0
Product 474	51.0	4.0	13.1	2.0	ND	2.0	26.1	4.0	ND	50.0	ND	40.0	<LoQ	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 475	9.8	4.0	2.5	2.0	ND	2.0	17.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 476	14.3	4.0	6.6	2.0	ND	2.0	10.0	4.0	<LoQ	50.0	ND	40.0	52.9	30.0	ND	30.0
Product 477	357.3	4.0	8.3	2.0	12.5	2.0	10.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 478	67.5	4.0	50.6	2.0	2.1	2.0	38.2	4.0	ND	50.0	161.1	40.0	89.8	30.0	ND	30.0
Product 479	8.7	4.0	15.9	2.0	ND	2.0	29.6	4.0	ND	50.0	ND	40.0	153.0	30.0	ND	30.0
Product 480	100.0	4.0	79.4	2.0	4.9	2.0	63.6	4.0	ND	50.0	63.8	40.0	84.5	30.0	ND	30.0
Product 481	12.8	4.0	15.3	2.0	ND	2.0	6.4	4.0	<LoQ	50.0	62.9	40.0	<LoQ	30.0	ND	30.0
Product 482	5.3	4.0	11.4	2.0	ND	2.0	8.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 483	6.4	4.0	79.5	2.0	ND	2.0	56.6	4.0	ND	50.0	ND	40.0	52.3	30.0	ND	30.0
Product 484	13.2	4.0	10.0	2.0	ND	2.0	128.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 485	13.9	4.0	43.6	2.0	ND	2.0	26.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 486	52.0	4.0	59.1	2.0	ND	2.0	43.9	4.0	<LoQ	50.0	102.6	40.0	37.6	30.0	ND	30.0
Product 487	11.4	4.0	5.6	2.0	ND	2.0	56.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 488	ND	4.0	3.6	2.0	ND	2.0	ND	4.0	ND	50.0	45.9	40.0	41.8	30.0	ND	30.0
Product 489	11.9	4.0	19.5	2.0	ND	2.0	19.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 490	169.6	4.0	40.5	2.0	5.6	2.0	111.5	4.0	ND	50.0	ND	40.0	56.8	30.0	ND	30.0
Product 491	1066.5	4.0	62.1	2.0	21.7	2.0	138.4	4.0	ND	50.0	64.7	40.0	37.7	30.0	ND	30.0
Product 492	11.0	4.0	31.1	2.0	ND	2.0	19.5	4.0	ND	50.0	103.6	40.0	109.9	30.0	ND	30.0
Product 493	610.7	4.0	9.4	2.0	158.2	2.0	29.3	4.0	ND	50.0	<LoQ	40.0	602.8	30.0	ND	30.0
Product 494	147.6	4.0	10.1	2.0	ND	2.0	300.4	4.0	ND	50.0	ND	40.0	65.6	30.0	ND	30.0
Product 495	6.0	4.0	ND	2.0	ND	2.0	28.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 496	100.1	33.5	34.9	16.7	<LoQ	16.7	289.2	33.5	<LoQ	50.0	ND	40.0	103.5	30.0	ND	30.0
Product 497	81.3	4.0	25.8	2.0	ND	2.0	95.5	4.0	ND	50.0	ND	40.0	90.3	30.0	ND	30.0
Product 498	100.9	4.0	94.2	2.0	2.8	2.0	71.2	4.0	<LoQ	50.0	176.8	40.0	66.6	30.0	ND	30.0
Product 499	378.7	4.0	12.8	2.0	4.2	2.0	13.1	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 500	121.1	4.0	144.7	2.0	28.0	2.0	64.2	4.0	ND	50.0	59.8	40.0	31.5	30.0	ND	30.0
Product 501	631.0	4.0	51.9	2.0	17.8	2.0	766.4	4.0	<LoQ	50.0	60.9	40.0	<LoQ	30.0	ND	30.0
Product 502	116.4	4.0	55.3	2.0	6.8	2.0	117.2	4.0	ND	50.0	111.7	40.0	141.2	30.0	ND	30.0
Product 503	5.1	4.0	3.0	2.0	ND	2.0	17.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 504	828.1	4.0	185.1	2.0	15.1	2.0	234.0	4.0	ND	50.0	118.2	40.0	85.8	30.0	ND	30.0
Product 505	107.1	4.0	50.7	2.0	9.8	2.0	78.3	4.0	<LoQ	50.0	ND	40.0	145.0	30.0	ND	30.0
Product 506	312.6	4.0	56.1	2.0	5.8	2.0	147.7	4.0	ND	50.0	81.2	40.0	125.5	30.0	ND	30.0
Product 507	182.6	4.0	46.9	2.0	7.3	2.0	37.9	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 508	445.5	4.0	32.1	2.0	8.5	2.0	31.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 509	1024.4	4.0	97.9	2.0	65.7	2.0	145.8	4.0	<LoQ	50.0	ND	40.0	ND	30.0	41.9	30.0
Product 510	77.2	4.0	7.8	2.0	7.2	2.0	13.2	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 511	11.8	4.0	15.6	2.0	ND	2.0	16.9	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 512	124.5	4.0	27.1	2.0	2.4	2.0	123.0	4.0	<LoQ	50.0	NA	40.0	163.0	30.0	ND	30.0
Product 513	178.9	4.0	81.3	2.0	ND	2.0	82.7	4.0	ND	50.0	53.7	40.0	144.7	30.0	ND	30.0
Product 514	161.4	4.0	43.3	2.0	3.3	2.0	52.1	4.0	79.2	50.0	686.4	40.0	118.3	30.0	ND	30.0
Product 515	174.7	33.6	101.4	16.8	21.1	16.8	203.5	33.6	<LoQ	50.0	ND	40.0	42.1	30.0	ND	30.0
Product 516	51.2	4.0	25.9	2.0	9.7	2.0	89.8	4.0	ND	50.0	50.7	40.0	177.1	30.0	ND	30.0
Product 517	69.0	4.0	48.3	2.0	2.1	2.0	98.8	4.0	ND	50.0	82.9	40.0	298.9	30.0	ND	30.0
Product 518	45.8	4.0	10.9	2.0	ND	2.0	13.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 519	ND	4.0	17.1	2.0	ND	2.0	36.3	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 520	10.7	4.0	9.2	2.0	ND	2.0	18.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 521	100.1	4.0	50.7	2.0	ND	2.0	63.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 522	125.2	4.0	35.3	2.0	16.1	2.0	5.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 523	64.0	4.0	70.9	2.0	5.0	2.0	834.1	4.0	<LoQ	50.0	ND	40.0	84.1	30.0	ND	60.0
Product 524	207.2	4.0	28.8	2.0	3.1	2.0	603.7	4.0	<LoQ	50.0	55.1	40.0	142.2	30.0	ND	30.0
Product 525	368.8	4.0	65.3	2.0	13.2	2.0	53.9	4.0	ND	50.0	52.6	40.0	82.6	30.0	ND	30.0
Product 526	149.5	4.0	28.7	2.0	11.9	2.0	481.1	4.0	ND	50.0	61.9	40.0	ND	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 527	32.3	4.0	28.6	2.0	ND	2.0	19.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 528	221.4	4.0	70.1	2.0	25.2	2.0	152.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 529	15.2	4.0	33.6	2.0	ND	2.0	95.8	4.0	ND	50.0	ND	40.0	40.6	30.0	ND	30.0
Product 530	12.8	4.0	17.4	2.0	ND	2.0	8.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 531	1527.3	4.0	31.1	2.0	41.6	2.0	4.8	4.0	ND	50.0	ND	40.0	<LoQ	30.0	ND	30.0
Product 532	11.4	4.0	15.8	2.0	ND	2.0	56.0	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 533	16.8	4.0	76.5	2.0	2.0	2.0	35.5	4.0	<LoQ	50.0	731.3	40.0	90.7	30.0	ND	30.0
Product 534	74.1	4.0	38.1	2.0	ND	2.0	30.5	4.0	ND	50.0	ND	40.0	45.0	30.0	ND	30.0
Product 535	884.7	4.0	32.3	2.0	35.5	2.0	11.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 536	11.9	4.0	17.9	2.0	ND	2.0	17.9	4.0	ND	50.0	ND	40.0	40.1	30.0	ND	30.0
Product 537	8.7	4.0	3.0	2.0	ND	2.0	5.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 538	44.6	4.0	66.7	2.0	ND	2.0	89.6	4.0	<LoQ	50.0	482.7	NA	ND	30.0	ND	30.0
Product 539	714.8	4.0	86.5	2.0	32.7	2.0	87.2	4.0	122.0	50.0	310.2	40.0	ND	30.0	ND	30.0
Product 540	292.9	4.0	27.8	2.0	3.3	2.0	290.2	4.0	<LoQ	50.0	41.2	40.0	62.2	30.0	ND	30.0
Product 541	14.9	4.0	28.4	2.0	2.4	2.0	62.9	4.0	<LoQ	50.0	42.1	40.0	220.4	30.0	ND	30.0
Product 542	15.8	4.0	3.5	2.0	ND	2.0	11.9	4.0	ND	50.0	ND	40.0	62.6	30.0	ND	30.0
Product 543	ND	4.0	10.7	2.0	ND	2.0	<LoQ	4.0	ND	50.0	ND	47.0	ND	30.0	ND	30.0
Product 544	13.7	4.0	8.1	2.0	ND	2.0	12.2	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 545	28.6	4.0	43.1	2.0	ND	2.0	45.6	4.0	ND	50.0	44.3	40.0	69.3	30.0	ND	30.0
Product 546	51.7	4.0	42.3	2.0	9.6	2.0	179.5	4.0	<LoQ	50.0	ND	40.0	126.8	30.0	ND	30.0
Product 547	1485.9	4.0	80.0	2.0	31.5	2.0	566.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 548	8.0	4.0	13.3	2.0	ND	2.0	24.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 549	87.5	4.0	41.1	2.0	13.4	2.0	244.6	4.0	<LoQ	50.0	<LoQ	40.0	155.4	30.0	ND	30.0
Product 550	1373.5	4.0	70.4	2.0	20.2	2.0	335.1	4.0	ND	50.0	52.8	40.0	195.2	30.0	ND	30.0
Product 551	18.3	4.0	4.2	2.0	ND	2.0	48.8	4.0	ND	50.0	ND	40.0	33.8	30.0	ND	30.0
Product 552	7.2	4.0	6.2	2.0	ND	2.0	5.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 553	34.6	4.0	47.4	2.0	12.1	2.0	26.0	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 554	231.1	4.0	46.7	2.0	7.2	2.0	167.2	4.0	ND	50.0	ND	40.0	173.4	30.0	52.9	30.0
Product 555	248.0	4.0	16.6	2.0	4.1	2.0	11.2	4.0	NA	50.0	ND	40.0	ND	30.0	ND	30.0
Product 556	2294.2	4.0	85.4	2.0	45.3	2.0	75.6	4.0	ND	50.0	132.7	40.0	66.7	30.0	ND	30.0
Product 557	36.5	4.0	12.5	2.0	ND	2.0	12.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 558	14.6	4.0	44.5	2.0	ND	2.0	8.4	4.0	ND	50.0	ND	40.0	91.9	30.0	ND	30.0
Product 559	127.0	4.0	39.7	2.0	3.3	2.0	40.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 560	20.9	4.0	35.0	2.0	ND	2.0	45.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 561	13.4	4.0	29.1	2.0	ND	2.0	19.6	4.0	ND	50.0	ND	40.0	31.0	30.0	ND	30.0
Product 562	80.2	4.0	21.7	2.0	ND	2.0	15.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 563	717.5	4.0	31.0	2.0	39.5	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 564	475.6	4.0	137.6	2.0	7.6	2.0	36.1	4.0	<LoQ	50.0	<LoQ	40.0	104.4	30.0	ND	30.0
Product 565	6.2	4.0	127.9	2.0	2.4	2.0	22.4	4.0	ND	50.0	40.6	40.0	34.1	30.0	ND	30.0
Product 566	12.8	4.0	3.6	2.0	ND	2.0	26.4	4.0	ND	50.0	ND	40.0	40.1	30.0	ND	30.0
Product 567	196.8	4.0	45.6	2.0	ND	2.0	712.5	4.0	ND	50.0	56.9	40.0	94.3	30.0	ND	30.0
Product 568	846.4	4.0	37.4	2.0	8.7	2.0	489.0	4.0	ND	50.0	47.2	40.0	82.7	30.0	ND	30.0
Product 569	49.0	4.0	17.7	2.0	5.2	2.0	16.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 570	85.2	4.0	85.7	2.0	4.0	2.0	63.0	4.0	<LoQ	50.0	98.5	40.0	ND	30.0	ND	30.0
Product 571	197.4	4.0	37.6	2.0	ND	2.0	71.1	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 572	834.8	4.0	89.7	2.0	18.1	2.0	256.8	4.0	ND	50.0	54.5	40.0	78.0	30.0	ND	30.0
Product 573	11.9	4.0	50.5	2.0	ND	2.0	53.5	4.0	ND	50.0	128.5	40.0	67.2	30.0	ND	30.0
Product 574	30.3	17.0	14.4	8.5	<LoQ	8.5	<LoQ	17.0	<LoQ	50.0	ND	40.0	ND	60.0	ND	30.0
Product 575	136.5	4.0	27.1	2.0	2.3	2.0	106.2	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 576	514.0	4.0	42.3	2.0	7.5	2.0	553.0	4.0	ND	50.0	ND	40.0	118.6	30.0	ND	30.0
Product 577	89.7	4.0	34.1	2.0	4.5	2.0	65.1	4.0	<LoQ	50.0	ND	40.0	161.7	30.0	ND	30.0
Product 578	676.8	4.0	63.0	2.0	25.2	2.0	329.4	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 579	80.2	4.0	25.7	2.0	ND	2.0	125.3	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 580	342.6	4.0	51.9	2.0	ND	2.0	307.3	4.0	ND	50.0	154.4	40.0	215.9	30.0	ND	30.0
Product 581	108.0	4.0	40.5	2.0	8.8	2.0	114.8	4.0	NA	50.0	174.0	40.0	94.1	30.0	ND	30.0
Product 582	4.0	4.0	20.1	2.0	ND	2.0	52.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 583	1469.6	4.0	82.1	2.0	31.9	2.0	145.9	4.0	ND	50.0	56.0	40.0	95.6	30.0	ND	30.0
Product 584	754.5	4.0	ND	2.0	5.3	2.0	4.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 585	142.4	4.0	26.4	2.0	2.4	2.0	142.0	4.0	ND	50.0	<LoQ	40.0	123.9	30.0	ND	30.0
Product 586	11.6	4.0	44.7	2.0	ND	2.0	13.1	4.0	ND	50.0	73.8	40.0	<LoQ	30.0	ND	30.0
Product 587	16.3	4.0	42.6	2.0	ND	2.0	7.6	4.0	ND	50.0	ND	40.0	42.6	30.0	ND	30.0
Product 588	19.6	4.0	42.9	2.0	ND	2.0	13.3	4.0	ND	50.0	1011.3	40.0	ND	30.0	ND	30.0
Product 589	8.4	4.0	2.1	2.0	ND	2.0	13.4	4.0	ND	50.0	ND	40.0	61.8	30.0	ND	30.0
Product 590	6.1	4.0	ND	2.0	ND	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 591	289.1	4.0	43.9	2.0	24.4	2.0	165.6	4.0	<LoQ	50.0	41.3	40.0	51.0	30.0	ND	30.0
Product 592	90.5	4.0	33.4	2.0	ND	2.0	130.9	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 593	24.2	4.0	24.5	2.0	40.9	2.0	14.8	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 594	37.3	4.0	21.0	2.0	ND	2.0	53.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 595	58.3	4.0	264.0	2.0	ND	2.0	64.7	4.0	<LoQ	50.0	59.0	40.0	113.0	30.0	ND	30.0
Product 596	18.3	4.0	3.6	2.0	ND	2.0	31.8	4.0	ND	50.0	ND	40.0	35.6	30.0	ND	30.0
Product 597	32.0	4.0	23.6	2.0	2.5	2.0	87.1	4.0	<LoQ	50.0	40.5	40.0	ND	30.0	ND	30.0
Product 598	30.5	4.0	33.1	2.0	ND	2.0	33.2	4.0	ND	50.0	67.7	40.0	54.6	30.0	ND	30.0
Product 599	57.3	4.0	65.6	2.0	6.2	2.0	221.3	4.0	<LoQ	50.0	ND	40.0	118.7	30.0	ND	60.0
Product 600	118.2	4.0	46.8	2.0	2.8	2.0	104.5	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 601	13.4	4.0	18.1	2.0	ND	2.0	22.0	4.0	ND	50.0	ND	40.0	67.3	30.0	ND	30.0
Product 602	1754.3	4.0	62.6	2.0	66.3	2.0	ND	4.0	ND	50.0	ND	40.0	34.5	30.0	ND	30.0
Product 603	113.4	4.0	62.3	2.0	ND	2.0	50.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 604	96.0	4.0	46.3	2.0	7.4	2.0	50.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 605	13.2	4.0	41.1	2.0	ND	2.0	77.0	4.0	<LoQ	50.0	ND	NA	ND	30.0	ND	30.0
Product 606	69.0	4.0	48.1	2.0	ND	2.0	53.1	4.0	ND	50.0	<LoQ	40.0	66.8	30.0	ND	30.0
Product 607	358.2	4.0	32.5	2.0	14.9	2.0	336.7	4.0	<LoQ	50.0	44.1	40.0	82.9	30.0	ND	30.0
Product 608	ND	4.0	6.1	2.0	<LoQ	2.0	33.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 609	523.3	4.0	30.8	2.0	15.3	2.0	537.4	4.0	ND	50.0	ND	40.0	102.7	30.0	ND	30.0
Product 610	519.6	4.0	67.8	2.0	95.5	2.0	38.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 611	303.3	4.0	90.6	2.0	5.9	2.0	1901.9	4.0	ND	50.0	53.3	40.0	160.0	30.0	ND	30.0
Product 612	132.0	4.0	50.6	2.0	4.5	2.0	171.2	4.0	ND	50.0	41.8	40.0	143.0	30.0	ND	30.0
Product 613	84.9	4.0	52.2	2.0	5.5	2.0	78.5	4.0	ND	50.0	ND	40.0	100.1	30.0	ND	30.0
Product 614	69.2	4.0	78.1	2.0	4.8	2.0	246.2	4.0	ND	50.0	ND	40.0	139.5	30.0	ND	30.0
Product 615	21.1	4.0	18.8	2.0	ND	2.0	194.3	4.0	ND	50.0	ND	40.0	72.7	30.0	ND	30.0
Product 616	231.6	4.0	46.5	2.0	18.5	2.0	7.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 617	572.6	4.0	59.2	2.0	21.6	2.0	548.8	4.0	<LoQ	50.0	98.1	40.0	165.5	30.0	ND	30.0
Product 618	10.7	4.0	4.1	2.0	ND	2.0	9.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 619	23.9	4.0	9.2	2.0	ND	2.0	17.6	4.0	ND	50.0	ND	40.0	33.5	30.0	ND	30.0
Product 620	71.6	4.0	25.6	2.0	ND	2.0	118.4	4.0	ND	50.0	ND	40.0	69.0	30.0	ND	30.0
Product 621	106.3	4.0	33.7	2.0	ND	2.0	44.0	4.0	<LoQ	50.0	176.4	40.0	215.0	30.0	ND	30.0
Product 622	353.8	4.0	7.9	2.0	9.1	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 623	265.2	4.0	112.8	2.0	2.0	2.0	411.9	4.0	ND	50.0	57.5	40.0	ND	30.0	ND	30.0
Product 624	113.8	17.0	29.7	8.5	<LoQ	8.5	221.7	17.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 625	160.3	4.0	63.4	2.0	4.1	2.0	146.6	4.0	ND	50.0	102.2	40.0	166.7	30.0	ND	30.0
Product 626	151.4	4.0	47.0	2.0	5.6	2.0	56.6	4.0	ND	50.0	178.0	40.0	71.9	30.0	ND	30.0
Product 627	ND	4.0	13.0	2.0	ND	2.0	5.6	4.0	ND	50.0	ND	44.0	ND	30.0	ND	30.0
Product 628	141.4	4.0	76.4	2.0	ND	2.0	25.8	4.0	ND	50.0	ND	40.0	<LoQ	30.0	ND	30.0
Product 629	348.3	4.0	45.1	2.0	14.6	2.0	420.8	4.0	ND	50.0	40.9	40.0	165.2	30.0	ND	30.0
Product 630	5.9	4.0	3.0	2.0	ND	2.0	5.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 631	126.6	16.6	11.8	8.3	13.9	8.3	67.5	16.6	<LoQ	50.0	ND	40.0	ND	60.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 632	346.3	4.0	53.8	2.0	18.3	2.0	163.1	4.0	ND	50.0	62.2	40.0	38.2	30.0	ND	30.0
Product 633	29.2	4.0	64.3	2.0	ND	2.0	36.9	4.0	ND	50.0	59.4	40.0	ND	30.0	ND	30.0
Product 634	238.7	4.0	47.9	2.0	6.7	2.0	135.2	4.0	ND	50.0	123.9	40.0	71.9	30.0	ND	30.0
Product 635	18.2	4.0	48.5	2.0	ND	2.0	68.6	4.0	ND	50.0	ND	40.0	184.8	30.0	ND	30.0
Product 636	124.3	4.0	28.2	2.0	3.0	2.0	133.4	4.0	ND	50.0	<LoQ	40.0	76.8	30.0	ND	30.0
Product 637	252.1	4.0	23.5	2.0	12.2	2.0	13.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 638	ND	4.0	19.6	2.0	ND	2.0	6.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 639	7.8	4.0	18.3	2.0	ND	2.0	65.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 640	209.8	4.0	49.8	2.0	ND	2.0	88.5	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 641	8.8	4.0	ND	2.0	ND	2.0	4.0	4.0	ND	50.0	59.4	40.0	ND	30.0	ND	30.0
Product 642	947.5	4.0	28.7	2.0	20.2	2.0	4.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 643	14.4	4.0	56.2	2.0	ND	2.0	638.4	4.0	<LoQ	50.0	659.5	40.0	296.3	30.0	ND	30.0
Product 644	28.0	4.0	32.1	2.0	ND	2.0	51.9	4.0	ND	50.0	186.3	40.0	63.9	30.0	ND	30.0
Product 645	625.9	4.0	19.1	2.0	40.6	2.0	6.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 646	5.6	4.0	ND	2.0	ND	2.0	5.1	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 647	162.2	4.0	17.0	2.0	12.7	2.0	6.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 648	7.6	4.0	7.9	2.0	ND	2.0	37.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 649	170.8	4.0	65.5	2.0	ND	2.0	320.4	4.0	ND	50.0	68.0	40.0	287.4	30.0	ND	30.0
Product 650	91.3	4.0	41.6	2.0	4.8	2.0	94.3	4.0	ND	50.0	ND	40.0	117.5	30.0	ND	30.0
Product 651	768.4	4.0	512.0	2.0	16.7	2.0	76.5	4.0	<LoQ	50.0	97.0	40.0	75.3	30.0	ND	30.0
Product 652	37.1	4.0	15.7	2.0	ND	2.0	25.2	4.0	ND	50.0	ND	40.0	53.0	30.0	ND	30.0
Product 653	18.1	4.0	3.3	2.0	ND	2.0	7.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 654	89.9	4.0	41.1	2.0	3.0	2.0	146.3	4.0	ND	50.0	<LoQ	40.0	49.4	30.0	ND	30.0
Product 655	ND	4.0	12.2	2.0	ND	2.0	9.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 656	15.3	4.0	12.9	2.0	ND	2.0	4.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 657	129.8	4.0	16.2	2.0	5.0	2.0	16.2	4.0	ND	50.0	ND	40.0	62.1	30.0	ND	30.0
Product 658	ND	4.0	ND	2.0	ND	2.0	ND	4.0	ND	50.0	<LoQ	40.0	43.6	30.0	ND	30.0
Product 659	247.7	4.0	35.4	2.0	6.5	2.0	121.3	4.0	ND	50.0	ND	40.0	30.6	30.0	ND	30.0
Product 660	1111.4	4.0	235.6	2.0	17.7	2.0	129.6	4.0	ND	50.0	47.4	40.0	99.6	30.0	ND	30.0
Product 661	12.1	4.0	47.8	2.0	ND	2.0	11.2	4.0	ND	50.0	ND	40.0	51.7	30.0	ND	30.0
Product 662	53.5	4.0	11.5	2.0	4.2	2.0	13.9	4.0	ND	50.0	ND	40.0	96.4	30.0	ND	30.0
Product 663	27.5	4.0	72.4	2.0	ND	2.0	27.6	4.0	<LoQ	50.0	59.9	40.0	117.2	30.0	ND	30.0
Product 664	43.1	4.0	177.0	2.0	ND	2.0	25.3	4.0	<LoQ	50.0	189.4	40.0	ND	30.0	ND	30.0
Product 665	NA	NA	NA	NA	NA	NA	NA	NA	ND	50.0	ND	40.0	161.1	30.0	ND	30.0
Product 666	13.1	4.0	14.4	2.0	ND	2.0	74.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 667	583.0	4.0	143.1	2.0	9.3	2.0	68.0	4.0	<LoQ	50.0	1240.4	40.0	119.0	30.0	ND	30.0
Product 668	378.6	4.0	100.3	2.0	30.7	2.0	107.8	4.0	<LoQ	50.0	45.9	40.0	196.4	30.0	ND	30.0
Product 669	255.1	4.0	102.4	2.0	4.1	2.0	89.5	4.0	50.5	50.0	ND	40.0	63.5	30.0	ND	30.0
Product 670	1510.7	4.0	112.2	2.0	29.6	2.0	251.0	4.0	ND	50.0	<LoQ	40.0	40.1	30.0	ND	30.0
Product 671	39.4	4.0	30.1	2.0	ND	2.0	87.3	4.0	ND	50.0	ND	40.0	30.8	30.0	ND	30.0
Product 672	929.0	4.0	90.3	2.0	39.6	2.0	194.7	4.0	<LoQ	50.0	1248.8	40.0	118.9	30.0	ND	30.0
Product 673	132.8	4.0	51.2	2.0	ND	2.0	100.7	4.0	ND	50.0	42.9	40.0	39.7	30.0	ND	30.0
Product 674	35.4	4.0	37.7	2.0	ND	2.0	74.5	4.0	ND	50.0	47.7	40.0	ND	30.0	ND	30.0
Product 675	44.5	4.0	21.4	2.0	3.2	2.0	111.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 676	402.3	4.0	49.8	2.0	6.3	2.0	76.5	4.0	ND	50.0	45.6	NA	151.6	30.0	ND	30.0
Product 677	138.6	4.0	33.7	2.0	3.0	2.0	87.7	4.0	ND	50.0	ND	40.0	109.7	30.0	ND	30.0
Product 678	255.6	4.0	80.8	2.0	2.4	2.0	55.2	4.0	ND	50.0	<LoQ	40.0	200.6	30.0	ND	30.0
Product 679	24.9	4.0	81.2	2.0	9.1	2.0	89.3	4.0	<LoQ	50.0	83.2	40.0	108.2	30.0	ND	30.0
Product 680	1170.8	4.0	14.2	2.0	31.7	2.0	27.8	4.0	ND	50.0	ND	40.0	55.0	30.0	ND	30.0
Product 681	ND	4.0	ND	2.0	ND	2.0	42.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 682	1638.4	4.0	25.4	2.0	38.9	2.0	ND	4.0	ND	50.0	ND	40.0	52.6	30.0	ND	30.0
Product 683	ND	4.0	8.7	2.0	ND	2.0	10.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 684	38.6	4.0	47.6	2.0	ND	2.0	60.5	4.0	ND	50.0	53.8	40.0	ND	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 685	10.1	4.0	39.4	2.0	ND	2.0	34.7	4.0	ND	50.0	142.6	40.0	91.5	30.0	ND	30.0
Product 686	17.7	4.0	66.5	2.0	ND	2.0	4.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 687	3187.5	4.0	154.8	2.0	54.1	2.0	42.0	4.0	ND	50.0	<LoQ	40.0	135.2	30.0	ND	30.0
Product 688	264.4	4.0	53.9	2.0	5.1	2.0	69.9	4.0	ND	50.0	ND	NA	ND	30.0	ND	30.0
Product 689	258.1	4.0	36.8	2.0	5.2	2.0	84.1	4.0	ND	50.0	ND	40.0	93.0	30.0	ND	30.0
Product 690	424.4	4.0	96.4	2.0	9.0	2.0	66.8	4.0	<LoQ	50.0	369.8	40.0	179.3	30.0	ND	30.0
Product 691	1389.3	4.0	68.0	2.0	43.7	2.0	405.8	4.0	ND	50.0	502.0	40.0	279.4	30.0	ND	30.0
Product 692	48.2	4.0	7.4	2.0	8.3	2.0	11.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 693	26.6	4.0	61.0	2.0	ND	2.0	9.8	4.0	ND	50.0	ND	40.0	119.2	30.0	343.3	30.0
Product 694	7.9	4.0	7.2	2.0	ND	2.0	9.0	4.0	ND	50.0	ND	40.0	46.8	30.0	ND	30.0
Product 695	12.0	4.0	9.2	2.0	ND	2.0	30.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 696	206.1	4.0	9.9	2.0	8.4	2.0	50.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 697	5.0	4.0	8.8	2.0	ND	2.0	26.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 698	206.4	4.0	76.1	2.0	2.0	2.0	92.8	4.0	ND	50.0	ND	40.0	83.0	30.0	ND	30.0
Product 699	537.5	4.0	122.5	2.0	102.6	2.0	88.2	4.0	ND	50.0	45.8	40.0	<LoQ	30.0	ND	30.0
Product 700	13.3	4.0	62.9	2.0	ND	2.0	21.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 701	59.4	4.0	57.9	2.0	13.2	2.0	109.4	4.0	747.3	50.0	1646.4	40.0	268.5	30.0	ND	30.0
Product 702	372.8	4.0	104.2	2.0	22.0	2.0	148.9	4.0	<LoQ	50.0	ND	40.0	65.9	30.0	ND	30.0
Product 703	9.5	4.0	13.3	2.0	ND	2.0	18.5	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 704	77.0	4.0	40.9	2.0	2.1	2.0	31.7	4.0	<LoQ	50.0	46.1	40.0	79.1	30.0	ND	30.0
Product 705	24.9	4.0	6.7	2.0	ND	2.0	9.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 706	76.5	4.0	18.3	2.0	ND	2.0	29.0	4.0	ND	50.0	ND	40.0	45.8	30.0	ND	30.0
Product 707	202.3	4.0	34.8	2.0	6.0	2.0	951.8	4.0	<LoQ	50.0	43.1	40.0	80.3	30.0	ND	30.0
Product 708	29.7	4.0	50.6	2.0	2.5	2.0	180.6	4.0	<LoQ	50.0	46.9	40.0	72.0	30.0	ND	30.0
Product 709	246.4	16.4	<LoQ	8.2	<LoQ	8.2	36.9	16.4	ND	50.0	ND	40.0	ND	60.0	ND	30.0
Product 710	20.6	4.0	47.2	2.0	ND	2.0	10.6	4.0	ND	50.0	552.7	40.0	73.2	30.0	ND	30.0
Product 711	18.0	4.0	116.2	2.0	ND	2.0	28.3	4.0	<LoQ	50.0	47.6	40.0	100.2	30.0	ND	30.0
Product 712	ND	4.0	14.5	2.0	ND	2.0	6.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 713	216.8	4.0	71.0	2.0	15.5	2.0	324.5	4.0	ND	50.0	55.3	40.0	127.8	30.0	ND	30.0
Product 714	39.9	4.0	61.2	2.0	ND	2.0	48.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 715	113.6	4.0	68.6	2.0	5.4	2.0	62.4	4.0	ND	50.0	96.0	40.0	101.8	30.0	ND	30.0
Product 716	153.9	4.0	15.8	2.0	5.2	2.0	14.5	4.0	ND	50.0	ND	40.0	47.8	30.0	ND	30.0
Product 717	18.3	4.0	22.5	2.0	ND	2.0	39.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 718	621.5	4.0	14.0	2.0	16.9	2.0	12.1	4.0	ND	50.0	ND	40.0	54.6	30.0	ND	30.0
Product 719	218.5	4.0	72.3	2.0	3.8	2.0	197.7	4.0	ND	50.0	69.0	40.0	132.4	30.0	ND	30.0
Product 720	<LoQ	16.8	<LoQ	8.4	<LoQ	8.4	<LoQ	16.8	ND	50.0	ND	40.0	ND	60.0	ND	30.0
Product 721	15.2	4.0	3.7	2.0	ND	2.0	12.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 722	122.5	4.0	17.6	2.0	ND	2.0	20.3	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 723	51.8	4.0	29.0	2.0	ND	2.0	116.2	4.0	ND	50.0	ND	40.0	43.2	30.0	ND	30.0
Product 724	248.8	4.0	43.3	2.0	12.3	2.0	190.6	4.0	ND	50.0	575.6	40.0	143.1	30.0	ND	30.0
Product 725	148.4	4.0	83.4	2.0	3.3	2.0	104.5	4.0	<LoQ	50.0	95.5	40.0	59.8	30.0	ND	30.0
Product 726	92.7	4.0	61.4	2.0	2.2	2.0	375.8	4.0	ND	50.0	47.4	40.0	69.6	30.0	ND	30.0
Product 727	5.0	4.0	3.8	2.0	ND	2.0	5.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 728	4.0	4.0	22.0	2.0	ND	2.0	9.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 729	163.8	4.0	36.9	2.0	5.1	2.0	105.0	4.0	ND	50.0	ND	40.0	96.8	30.0	ND	30.0
Product 730	7.3	4.0	8.5	2.0	ND	2.0	8.1	4.0	ND	50.0	ND	40.0	94.3	30.0	ND	30.0
Product 731	7.7	4.0	27.0	2.0	ND	2.0	26.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 732	104.3	4.0	46.7	2.0	6.3	2.0	600.7	4.0	ND	50.0	62.7	40.0	146.6	30.0	ND	30.0
Product 733	11.2	4.0	12.8	2.0	ND	2.0	21.7	4.0	ND	50.0	ND	40.0	<LoQ	30.0	ND	30.0
Product 734	276.1	33.3	80.7	16.7	<LoQ	16.7	158.4	33.3	<LoQ	50.0	ND	40.0	43.9	30.0	ND	30.0
Product 735	5.5	4.0	2.8	2.0	ND	2.0	ND	4.0	ND	50.0	ND	40.0	58.1	30.0	ND	30.0
Product 736	47.4	4.0	29.4	2.0	2.2	2.0	111.1	4.0	ND	50.0	ND	40.0	38.9	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 737	96.4	4.0	27.8	2.0	12.7	2.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	60.0	ND	30.0
Product 738	148.4	16.1	113.5	8.1	<LoQ	8.1	108.4	16.1	198.1	50.0	ND	40.0	202.2	30.0	ND	30.0
Product 739	175.2	4.0	10.5	2.0	2.9	2.0	10.3	4.0	ND	50.0	ND	40.0	66.1	30.0	ND	30.0
Product 740	16.1	4.0	33.5	2.0	ND	2.0	41.4	4.0	ND	50.0	116.9	40.0	ND	30.0	ND	30.0
Product 741	ND	4.0	7.5	2.0	ND	2.0	31.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 742	7.0	4.0	4.4	2.0	ND	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 743	36.9	4.0	34.4	2.0	ND	2.0	56.2	4.0	ND	50.0	56.3	40.0	71.6	30.0	ND	30.0
Product 744	12.6	4.0	10.3	2.0	ND	2.0	32.8	4.0	ND	50.0	ND	40.0	34.3	30.0	ND	30.0
Product 745	11.1	4.0	38.9	2.0	ND	2.0	15.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 746	99.7	4.0	38.1	2.0	3.4	2.0	167.2	4.0	<LoQ	50.0	ND	40.0	141.1	30.0	ND	30.0
Product 747	130.3	4.0	124.9	2.0	ND	2.0	13.8	4.0	ND	50.0	<LoQ	40.0	205.8	30.0	ND	30.0
Product 748	55.5	4.0	34.8	2.0	ND	2.0	101.4	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 749	489.3	4.0	48.6	2.0	14.3	2.0	177.9	4.0	ND	50.0	275.8	40.0	91.3	30.0	ND	30.0
Product 750	181.8	4.0	37.7	2.0	2.8	2.0	123.9	4.0	<LoQ	50.0	ND	40.0	164.8	30.0	ND	30.0
Product 751	22.3	4.0	51.8	2.0	ND	2.0	41.2	4.0	ND	50.0	173.0	40.0	53.2	30.0	ND	30.0
Product 752	6.6	4.0	ND	2.0	ND	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 753	30.1	4.0	79.6	2.0	ND	2.0	27.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 754	72.3	4.0	61.8	2.0	2.3	2.0	361.5	4.0	ND	50.0	58.8	40.0	186.1	30.0	ND	30.0
Product 755	373.7	4.0	25.6	2.0	4.0	2.0	329.6	4.0	ND	50.0	ND	40.0	57.6	30.0	ND	30.0
Product 756	20.2	4.0	6.0	2.0	ND	2.0	26.3	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 757	18.5	4.0	277.9	2.0	45.5	2.0	101.8	4.0	ND	50.0	60.0	40.0	1900.8	30.0	ND	30.0
Product 758	<LoQ	4.0	23.7	2.0	ND	2.0	709.8	4.0	ND	50.0	236.7	40.0	ND	30.0	ND	30.0
Product 759	403.5	4.0	3.0	2.0	63.6	2.0	20.0	4.0	ND	50.0	ND	40.0	54.1	30.0	ND	30.0
Product 760	179.4	4.0	31.8	2.0	10.8	2.0	150.1	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 761	125.6	4.0	5.4	2.0	ND	2.0	397.9	4.0	ND	50.0	ND	40.0	44.2	30.0	ND	30.0
Product 762	22.7	4.0	32.0	2.0	ND	2.0	16.8	4.0	<LoQ	50.0	475.1	40.0	175.0	30.0	ND	30.0
Product 763	6.2	4.0	3.4	2.0	ND	2.0	8.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 764	405.7	4.0	39.4	2.0	14.3	2.0	407.6	4.0	<LoQ	50.0	69.4	40.0	139.0	30.0	ND	30.0
Product 765	135.0	4.0	146.6	2.0	ND	2.0	72.4	4.0	<LoQ	50.0	ND	40.0	819.5	30.0	ND	30.0
Product 766	104.2	4.0	25.4	2.0	ND	2.0	119.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 767	125.6	4.0	61.4	2.0	9.0	2.0	111.0	4.0	<LoQ	50.0	139.0	40.0	140.7	30.0	ND	30.0
Product 768	152.0	4.0	101.5	2.0	32.1	2.0	197.5	4.0	<LoQ	50.0	70.4	40.0	231.4	30.0	ND	30.0
Product 769	33.8	4.0	63.1	2.0	2.8	2.0	67.7	4.0	ND	50.0	ND	40.0	60.2	30.0	ND	30.0
Product 770	50.1	4.0	12.7	2.0	ND	2.0	10.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 771	44.8	4.0	24.8	2.0	ND	2.0	186.3	4.0	ND	50.0	ND	40.0	77.3	30.0	ND	30.0
Product 772	483.0	4.0	259.3	2.0	32.3	2.0	12.9	4.0	ND	50.0	53.7	40.0	51.2	30.0	ND	30.0
Product 773	80.3	4.0	9.3	2.0	3.8	2.0	12.6	4.0	ND	50.0	ND	40.0	110.6	30.0	ND	30.0
Product 774	118.0	4.0	38.2	2.0	2.5	2.0	93.1	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 775	31.6	4.0	15.1	2.0	ND	2.0	54.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 776	8.9	4.0	30.8	2.0	ND	2.0	26.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 777	ND	4.0	25.6	2.0	ND	2.0	5.0	4.0	ND	50.0	ND	43.0	ND	30.0	ND	30.0
Product 778	88.9	4.0	29.9	2.0	<LoQ	2.0	174.0	4.0	ND	50.0	<LoQ	40.0	118.5	60.0	ND	30.0
Product 779	806.4	4.0	107.0	2.0	31.6	2.0	153.3	4.0	<LoQ	50.0	ND	40.0	90.4	30.0	ND	30.0
Product 780	147.9	4.0	39.6	2.0	3.0	2.0	175.7	4.0	ND	50.0	52.6	40.0	ND	30.0	ND	30.0
Product 781	14.7	4.0	44.5	2.0	ND	2.0	35.1	4.0	ND	50.0	134.7	40.0	156.4	30.0	ND	30.0
Product 782	110.6	4.0	76.5	2.0	2.6	2.0	49.8	4.0	<LoQ	50.0	ND	40.0	43.5	30.0	ND	30.0
Product 783	1858.8	4.0	98.2	2.0	55.2	2.0	87.2	4.0	<LoQ	50.0	112.6	40.0	80.9	30.0	ND	30.0
Product 784	42.8	4.0	11.1	2.0	ND	2.0	14.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 785	28.0	4.0	64.1	2.0	ND	2.0	44.1	4.0	ND	50.0	155.4	40.0	ND	30.0	ND	30.0
Product 786	105.7	4.0	39.5	2.0	ND	2.0	36.8	4.0	ND	50.0	ND	40.0	68.3	30.0	ND	30.0
Product 787	33.7	4.0	10.8	2.0	ND	2.0	7.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 788	ND	4.0	22.6	2.0	ND	2.0	33.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 789	144.3	4.0	21.3	2.0	3.6	2.0	9.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0



(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 790	273.7	4.0	3.9	2.0	ND	2.0	5.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 791	151.1	4.0	56.0	2.0	3.1	2.0	63.0	4.0	ND	50.0	56.7	40.0	43.3	30.0	ND	30.0
Product 792	780.0	4.0	58.6	2.0	15.9	2.0	1387.3	4.0	ND	50.0	ND	40.0	296.2	30.0	ND	30.0
Product 793	41.3	4.0	61.0	2.0	ND	2.0	10.9	4.0	<LoQ	50.0	42.4	40.0	64.2	30.0	ND	30.0
Product 794	15.1	4.0	51.9	2.0	ND	2.0	46.5	4.0	ND	50.0	ND	NA	ND	30.0	ND	30.0
Product 795	113.8	4.0	40.6	2.0	8.9	2.0	88.8	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 796	104.0	4.0	32.6	2.0	ND	2.0	281.2	4.0	ND	50.0	42.3	40.0	218.5	30.0	ND	30.0
Product 797	15.5	4.0	43.9	2.0	ND	2.0	30.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 798	196.4	4.0	80.9	2.0	8.7	2.0	72.8	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 799	164.1	4.0	10.4	2.0	2.3	2.0	10.0	4.0	ND	50.0	ND	40.0	55.9	30.0	ND	30.0
Product 800	172.5	4.0	54.5	2.0	ND	2.0	60.7	4.0	<LoQ	50.0	ND	40.0	52.0	30.0	ND	30.0
Product 801	182.4	4.0	9.4	2.0	13.3	2.0	35.1	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 802	966.0	4.0	62.9	2.0	23.6	2.0	244.3	4.0	ND	50.0	<LoQ	40.0	180.9	30.0	ND	30.0
Product 803	7.3	4.0	7.6	2.0	ND	2.0	7.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 804	81.4	4.0	39.4	2.0	ND	2.0	99.7	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 805	325.4	4.0	89.9	2.0	7.0	2.0	165.9	4.0	ND	50.0	58.5	40.0	283.9	30.0	ND	30.0
Product 806	86.9	33.2	16.9	16.6	<LoQ	16.6	154.2	33.2	<LoQ	50.0	ND	40.0	189.7	30.0	ND	30.0
Product 807	33.0	4.0	6.4	2.0	ND	2.0	11.8	4.0	ND	50.0	ND	40.0	71.6	30.0	ND	30.0
Product 808	ND	4.0	ND	2.0	4.7	2.0	ND	4.0	ND	50.0	ND	40.0	119.3	60.0	ND	30.0
Product 809	131.4	4.0	43.9	2.0	7.1	2.0	146.7	4.0	NA	50.0	89.3	40.0	96.3	30.0	ND	30.0
Product 810	42.0	4.0	38.8	2.0	5.0	2.0	108.7	4.0	<LoQ	50.0	225.6	40.0	138.2	30.0	ND	30.0
Product 811	211.9	4.0	56.6	2.0	8.1	2.0	12.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 812	30.0	4.0	38.2	2.0	ND	2.0	78.6	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 813	NA	NA	NA	NA	NA	NA	NA	NA	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 814	7.7	4.0	ND	2.0	ND	2.0	ND	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 815	213.3	4.0	16.1	2.0	24.1	2.0	17.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 816	2016.7	4.0	73.5	2.0	32.7	2.0	909.5	4.0	61.4	50.0	43.6	40.0	39.2	30.0	ND	30.0
Product 817	442.8	4.0	41.8	2.0	7.2	2.0	219.2	4.0	139.0	50.0	150.3	NA	101.4	30.0	ND	30.0
Product 818	125.2	4.0	189.4	2.0	14.6	2.0	118.4	4.0	<LoQ	50.0	349.7	40.0	97.2	30.0	ND	30.0
Product 819	16.0	4.0	20.0	2.0	ND	2.0	27.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 820	66.0	4.0	41.1	2.0	2.4	2.0	122.6	4.0	ND	50.0	ND	40.0	97.2	30.0	ND	30.0
Product 821	327.9	4.0	50.1	2.0	5.0	2.0	60.5	4.0	ND	50.0	ND	NA	ND	30.0	ND	30.0
Product 822	104.5	4.0	37.3	2.0	9.5	2.0	97.1	4.0	<LoQ	50.0	ND	40.0	<LoQ	60.0	ND	30.0
Product 823	ND	4.0	2.3	2.0	ND	2.0	20.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 824	130.5	4.0	39.8	2.0	3.5	2.0	107.9	4.0	<LoQ	50.0	402.8	40.0	83.8	30.0	ND	30.0
Product 825	323.1	4.0	104.2	2.0	<LoQ	2.0	94.9	4.0	ND	50.0	<LoQ	40.0	<LoQ	60.0	ND	30.0
Product 826	42.6	4.0	25.7	2.0	ND	2.0	86.0	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 827	50.0	4.0	15.8	2.0	ND	2.0	20.4	4.0	ND	50.0	ND	40.0	71.6	30.0	ND	30.0
Product 828	11.9	4.0	8.2	2.0	ND	2.0	18.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 829	320.4	4.0	13.6	2.0	4.6	2.0	29.7	4.0	NA	50.0	ND	40.0	ND	30.0	ND	30.0
Product 830	121.1	4.0	31.9	2.0	2.5	2.0	510.1	4.0	ND	50.0	163.2	40.0	271.4	30.0	ND	30.0
Product 831	ND	4.0	7.0	2.0	ND	2.0	5.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 832	6.4	4.0	7.3	2.0	ND	2.0	5.7	4.0	ND	50.0	ND	40.0	65.6	30.0	ND	30.0
Product 833	9.4	4.0	16.9	2.0	2.3	2.0	58.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 834	791.1	4.0	87.2	2.0	12.2	2.0	490.7	4.0	ND	50.0	<LoQ	40.0	32.2	30.0	ND	30.0
Product 835	1251.1	4.0	156.6	2.0	30.3	2.0	14.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 836	508.2	4.0	72.4	2.0	62.3	2.0	88.3	4.0	ND	50.0	52.1	40.0	79.1	30.0	ND	30.0
Product 837	107.4	33.7	<LoQ	16.9	<LoQ	16.9	133.3	33.7	<LoQ	50.0	ND	40.0	336.0	30.0	ND	30.0
Product 838	182.8	4.0	55.0	2.0	14.6	2.0	190.8	4.0	<LoQ	50.0	47.0	40.0	142.0	30.0	ND	30.0
Product 839	11.9	4.0	26.5	2.0	ND	2.0	17.2	4.0	ND	50.0	ND	40.0	<LoQ	30.0	ND	30.0
Product 840	33.7	4.0	37.0	2.0	ND	2.0	78.7	4.0	<LoQ	50.0	44.4	40.0	ND	30.0	ND	30.0
Product 841	4.0	4.0	2.3	2.0	ND	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 842	109.2	4.0	20.9	2.0	2.7	2.0	11.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 843	ND	4.0	7.4	2.0	ND	2.0	8.3	4.0	ND	50.0	ND	40.0	73.8	30.0	ND	30.0
Product 844	41.2	4.0	10.0	2.0	2.6	2.0	17.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 845	108.8	4.0	65.8	2.0	2.6	2.0	79.6	4.0	<LoQ	50.0	ND	40.0	222.5	60.0	ND	30.0
Product 846	88.5	4.0	29.8	2.0	2.2	2.0	322.6	4.0	ND	50.0	ND	40.0	120.4	60.0	ND	30.0
Product 847	ND	4.0	51.9	2.0	ND	2.0	9.4	4.0	ND	50.0	ND	48.0	ND	30.0	ND	30.0
Product 848	230.5	4.0	30.0	2.0	5.3	2.0	75.4	4.0	ND	50.0	<LoQ	40.0	<LoQ	30.0	ND	30.0
Product 849	636.8	4.0	110.8	2.0	38.4	2.0	130.6	4.0	242.1	50.0	98.6	40.0	214.4	30.0	ND	30.0
Product 850	213.0	4.0	66.4	2.0	14.6	2.0	107.3	4.0	ND	50.0	1297.5	40.0	212.3	30.0	ND	30.0
Product 851	13.9	4.0	24.0	2.0	ND	2.0	15.3	4.0	ND	50.0	185.0	40.0	32.6	30.0	ND	30.0
Product 852	56.5	4.0	63.0	2.0	ND	2.0	52.3	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 853	135.2	4.0	52.5	2.0	3.6	2.0	107.8	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 854	2173.9	4.0	92.2	2.0	58.8	2.0	55.1	4.0	<LoQ	50.0	45.1	40.0	39.7	30.0	ND	30.0
Product 855	13.4	4.0	22.1	2.0	ND	2.0	21.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 856	10.1	4.0	7.4	2.0	ND	2.0	26.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 857	286.3	4.0	48.8	2.0	9.9	2.0	138.7	4.0	ND	50.0	ND	40.0	127.1	30.0	ND	30.0
Product 858	278.0	4.0	34.6	2.0	11.2	2.0	68.3	4.0	ND	50.0	ND	40.0	ND	60.0	ND	30.0
Product 859	10.3	4.0	5.2	2.0	ND	2.0	9.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 860	66.7	4.0	54.1	2.0	13.4	2.0	1159.6	4.0	ND	50.0	56.2	40.0	247.5	30.0	ND	30.0
Product 861	186.1	4.0	7.5	2.0	16.6	2.0	5.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 862	5.2	4.0	3.2	2.0	ND	2.0	5.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 863	95.3	4.0	14.0	2.0	ND	2.0	113.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 864	45.0	4.0	26.6	2.0	3.9	2.0	63.3	4.0	ND	50.0	ND	40.0	148.8	30.0	ND	30.0
Product 865	29.2	4.0	10.2	2.0	ND	2.0	7.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 866	170.2	4.0	41.4	2.0	4.2	2.0	76.6	4.0	ND	50.0	ND	40.0	268.9	30.0	ND	30.0
Product 867	28.4	4.0	16.2	2.0	ND	2.0	6.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 868	6.3	4.0	18.7	2.0	ND	2.0	8.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 869	309.0	4.0	3.2	2.0	8.1	2.0	10.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 870	72.9	4.0	10.1	2.0	ND	2.0	75.2	4.0	ND	50.0	ND	40.0	47.8	30.0	ND	30.0
Product 871	11.9	4.0	9.7	2.0	ND	2.0	79.2	4.0	ND	50.0	348.6	40.0	47.8	30.0	ND	30.0
Product 872	743.1	4.0	9.4	2.0	29.6	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 873	124.0	4.0	26.5	2.0	2.9	2.0	64.9	4.0	<LoQ	50.0	ND	NA	102.6	30.0	ND	30.0
Product 874	44.5	4.0	51.8	2.0	2.8	2.0	92.8	4.0	<LoQ	50.0	ND	40.0	196.1	60.0	ND	30.0
Product 875	427.2	4.0	61.5	2.0	22.8	2.0	832.8	4.0	ND	50.0	ND	40.0	55.2	30.0	ND	30.0
Product 876	19.9	4.0	17.4	2.0	ND	2.0	14.2	4.0	ND	50.0	<LoQ	40.0	42.2	30.0	ND	30.0
Product 877	61.9	4.0	67.3	2.0	10.3	2.0	114.2	4.0	330.2	50.0	1594.0	40.0	252.5	30.0	ND	30.0
Product 878	24.4	4.0	61.4	2.0	ND	2.0	49.5	4.0	ND	50.0	ND	40.0	110.8	30.0	ND	30.0
Product 879	4.6	4.0	7.8	2.0	ND	2.0	39.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 880	12.3	4.0	14.5	2.0	ND	2.0	12.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 881	8008.5	4.0	88.7	2.0	149.9	2.0	31.8	4.0	NA	50.0	42.8	40.0	369.4	30.0	ND	30.0
Product 882	884.6	4.0	62.1	2.0	25.7	2.0	374.8	4.0	ND	50.0	<LoQ	40.0	77.0	30.0	ND	30.0
Product 883	160.6	4.0	130.5	2.0	2.7	2.0	57.2	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 884	10.1	4.0	17.7	2.0	ND	2.0	11.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 885	5.7	4.0	7.4	2.0	ND	2.0	8.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 886	8.3	4.0	7.9	2.0	ND	2.0	11.7	4.0	ND	50.0	ND	40.0	58.5	30.0	ND	30.0
Product 887	35.5	4.0	13.0	2.0	ND	2.0	106.2	4.0	ND	50.0	ND	40.0	65.1	30.0	ND	30.0
Product 888	70.9	4.0	45.3	2.0	2.9	2.0	24.3	4.0	<LoQ	50.0	613.8	40.0	273.8	30.0	ND	30.0
Product 889	12.8	4.0	34.1	2.0	ND	2.0	15.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 890	67.1	4.0	32.8	2.0	ND	2.0	66.5	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 891	326.8	4.0	86.1	2.0	10.3	2.0	60.9	4.0	ND	50.0	246.3	40.0	315.8	30.0	ND	30.0
Product 892	213.2	4.0	58.1	2.0	25.5	2.0	245.9	4.0	ND	50.0	56.6	40.0	126.6	30.0	ND	30.0
Product 893	11.7	4.0	15.5	2.0	ND	2.0	38.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 894	257.0	4.0	43.7	2.0	7.7	2.0	98.4	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 895	ND	4.0	15.7	2.0	ND	2.0	10.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 896	89.5	4.0	76.4	2.0	2.0	2.0	58.4	4.0	ND	50.0	50.2	40.0	73.7	30.0	ND	30.0
Product 897	5.4	4.0	17.4	2.0	ND	2.0	19.4	4.0	ND	50.0	ND	40.0	65.6	30.0	ND	30.0
Product 898	8.9	4.0	6.2	2.0	ND	2.0	57.8	4.0	ND	50.0	ND	40.0	64.0	30.0	ND	30.0
Product 899	50.7	4.0	21.8	2.0	ND	2.0	21.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 900	39.4	4.0	39.7	2.0	8.0	2.0	104.4	4.0	ND	50.0	ND	40.0	174.2	30.0	ND	30.0
Product 901	45.5	4.0	67.7	2.0	2.5	2.0	38.7	4.0	<LoQ	50.0	66.9	40.0	511.0	30.0	ND	30.0
Product 902	160.3	4.0	41.1	2.0	7.1	2.0	104.2	4.0	<LoQ	50.0	44.5	40.0	ND	30.0	ND	30.0
Product 903	24.4	4.0	3.7	2.0	ND	2.0	19.1	4.0	<LoQ	50.0	ND	40.0	53.7	30.0	ND	30.0
Product 904	11.4	4.0	3.7	2.0	ND	2.0	38.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 905	85.2	4.0	9.8	2.0	ND	2.0	63.5	4.0	ND	50.0	ND	40.0	67.1	30.0	ND	30.0
Product 906	37.0	4.0	56.2	2.0	6.0	2.0	113.8	4.0	ND	50.0	76.1	40.0	380.1	30.0	ND	30.0
Product 907	128.9	4.0	63.1	2.0	ND	2.0	67.8	4.0	62.6	50.0	ND	40.0	ND	30.0	ND	30.0
Product 908	154.5	4.0	52.3	2.0	2.2	2.0	153.9	4.0	<LoQ	50.0	ND	40.0	126.6	60.0	ND	30.0
Product 909	155.3	16.9	9.4	8.5	<LoQ	8.5	19.1	16.9	<LoQ	50.0	ND	40.0	ND	60.0	ND	30.0
Product 910	225.7	4.0	28.3	2.0	5.3	2.0	12.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 911	19.1	16.6	10.6	8.3	<LoQ	8.3	<LoQ	16.6	ND	50.0	ND	40.0	ND	60.0	ND	30.0
Product 912	376.7	4.0	91.8	2.0	12.3	2.0	460.2	4.0	<LoQ	50.0	ND	40.0	62.8	30.0	ND	30.0
Product 913	360.0	4.0	40.3	2.0	3.8	2.0	5.5	4.0	ND	50.0	ND	40.0	51.0	30.0	ND	30.0
Product 914	154.7	4.0	4.7	2.0	3.6	2.0	5.0	4.0	ND	50.0	ND	40.0	<LoQ	30.0	ND	30.0
Product 915	255.4	4.0	54.2	2.0	30.9	2.0	399.2	4.0	<LoQ	50.0	172.9	40.0	258.0	30.0	ND	30.0
Product 916	34.9	4.0	81.7	2.0	ND	2.0	40.4	4.0	<LoQ	50.0	384.6	40.0	220.4	30.0	ND	30.0
Product 917	161.7	4.0	33.5	2.0	32.1	2.0	435.5	4.0	ND	50.0	160.3	40.0	243.2	30.0	ND	30.0
Product 918	64.3	4.0	26.8	2.0	ND	2.0	7.9	4.0	ND	50.0	ND	46.0	ND	30.0	ND	30.0
Product 919	136.7	4.0	70.4	2.0	55.1	2.0	10.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 920	138.9	4.0	49.3	2.0	8.7	2.0	83.9	4.0	ND	50.0	92.1	40.0	339.9	30.0	ND	30.0
Product 921	12.5	4.0	6.7	2.0	ND	2.0	13.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 922	240.6	4.0	111.8	2.0	2.5	2.0	78.0	4.0	ND	50.0	<LoQ	40.0	198.2	30.0	ND	30.0
Product 923	308.2	4.0	7.8	2.0	13.9	2.0	5.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 924	361.6	4.0	213.9	2.0	2.2	2.0	117.4	4.0	<LoQ	50.0	141.0	40.0	ND	30.0	ND	30.0
Product 925	80.1	4.0	61.1	2.0	ND	2.0	63.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 926	2639.9	4.0	2.5	2.0	44.4	2.0	4.8	4.0	ND	50.0	62.5	40.0	53.9	30.0	ND	30.0
Product 927	ND	4.0	12.9	2.0	ND	2.0	16.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 928	22.7	4.0	35.1	2.0	ND	2.0	57.1	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 929	375.4	4.0	69.9	2.0	9.6	2.0	155.7	4.0	ND	50.0	NA	40.0	85.9	30.0	ND	30.0
Product 930	210.6	4.0	7.1	2.0	12.4	2.0	8.8	4.0	ND	50.0	ND	40.0	74.5	30.0	ND	30.0
Product 931	42.3	4.0	23.9	2.0	ND	2.0	5.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 932	69.5	4.0	45.2	2.0	5.4	2.0	233.4	4.0	ND	50.0	44.8	NA	263.5	30.0	104.9	30.0
Product 933	287.2	4.0	20.5	2.0	ND	2.0	150.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 934	6.5	4.0	11.2	2.0	ND	2.0	18.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 935	19.2	4.0	97.0	2.0	2.5	2.0	201.0	4.0	ND	50.0	61.3	40.0	ND	30.0	ND	30.0
Product 936	111.6	33.6	27.7	16.8	<LoQ	16.8	184.7	33.6	<LoQ	50.0	ND	40.0	130.2	30.0	ND	30.0
Product 937	2259.0	33.1	97.8	16.5	33.0	16.5	38.6	33.1	417.9	50.0	ND	40.0	<LoQ	30.0	ND	30.0
Product 938	1575.9	4.0	16.6	2.0	41.1	2.0	4.1	4.0	ND	50.0	ND	40.0	45.9	30.0	ND	30.0
Product 939	182.8	4.0	16.9	2.0	20.8	2.0	8.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 940	12.4	4.0	17.5	2.0	ND	2.0	120.2	4.0	ND	50.0	1160.1	40.0	627.4	30.0	ND	30.0
Product 941	44.5	4.0	4.9	2.0	ND	2.0	19.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 942	1012.5	4.0	74.7	2.0	19.4	2.0	239.9	4.0	<LoQ	50.0	70.0	40.0	118.0	30.0	ND	30.0
Product 943	122.4	4.0	40.9	2.0	6.1	2.0	124.2	4.0	ND	50.0	ND	40.0	121.0	30.0	ND	30.0
Product 944	7.3	4.0	17.4	2.0	ND	2.0	9.5	4.0	ND	50.0	ND	40.0	66.7	30.0	ND	30.0
Product 945	18.6	4.0	76.9	2.0	ND	2.0	48.8	4.0	<LoQ	50.0	804.7	40.0	85.6	30.0	ND	30.0
Product 946	41.6	4.0	50.0	2.0	3.4	2.0	90.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 947	476.6	4.0	66.4	2.0	11.5	2.0	124.0	4.0	ND	50.0	<LoQ	40.0	49.8	30.0	ND	30.0
Product 948	52.4	4.0	41.4	2.0	ND	2.0	104.9	4.0	<LoQ	50.0	41.1	40.0	ND	30.0	ND	30.0
Product 949	97.8	4.0	144.7	2.0	4.7	2.0	57.1	4.0	<LoQ	50.0	360.3	NA	281.9	30.0	ND	30.0
Product 950	165.0	4.0	53.3	2.0	12.6	2.0	243.0	4.0	<LoQ	50.0	59.0	40.0	123.3	30.0	ND	30.0
Product 951	180.9	4.0	32.3	2.0	4.6	2.0	100.8	4.0	ND	50.0	57.1	40.0	203.2	30.0	ND	30.0
Product 952	19.5	17.1	<LoQ	8.6	<LoQ	8.6	<LoQ	17.1	ND	50.0	ND	40.0	ND	60.0	ND	30.0
Product 953	362.2	4.0	19.3	2.0	3.9	2.0	136.4	4.0	ND	50.0	ND	40.0	35.3	30.0	ND	30.0
Product 954	422.3	4.0	27.5	2.0	8.3	2.0	1377.6	4.0	ND	50.0	ND	40.0	58.3	30.0	ND	30.0
Product 955	27.1	4.0	16.1	2.0	ND	2.0	14.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 956	815.0	4.0	67.6	2.0	17.3	2.0	471.8	4.0	<LoQ	50.0	43.3	40.0	89.8	30.0	ND	30.0
Product 957	38.4	4.0	14.4	2.0	ND	2.0	59.8	4.0	<LoQ	50.0	ND	40.0	96.0	30.0	ND	30.0
Product 958	154.2	4.0	58.2	2.0	5.4	2.0	83.5	4.0	ND	50.0	52.4	40.0	208.6	30.0	ND	30.0
Product 959	57.5	4.0	56.8	2.0	2.9	2.0	80.0	4.0	<LoQ	50.0	ND	40.0	64.4	30.0	ND	30.0
Product 960	<LoQ	16.8	<LoQ	8.4	<LoQ	8.4	<LoQ	16.8	ND	50.0	ND	40.0	ND	60.0	ND	30.0
Product 961	8.9	4.0	10.0	2.0	ND	2.0	5.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 962	8.1	4.0	8.1	2.0	ND	2.0	12.0	4.0	ND	50.0	ND	40.0	57.0	30.0	ND	30.0
Product 963	43.7	4.0	6.8	2.0	ND	2.0	8.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 964	716.0	4.0	17.6	2.0	24.0	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 965	231.0	4.0	136.3	2.0	5.5	2.0	133.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 966	19.0	4.0	13.9	2.0	ND	2.0	6.9	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 967	1628.5	4.0	134.5	2.0	43.6	2.0	471.8	4.0	<LoQ	50.0	53.5	40.0	40.3	30.0	ND	30.0
Product 968	13.1	4.0	59.5	2.0	ND	2.0	18.9	4.0	ND	50.0	ND	40.0	325.8	30.0	ND	30.0
Product 969	8.8	4.0	11.5	2.0	2.1	2.0	6.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 970	313.3	4.0	28.6	2.0	4.3	2.0	85.6	4.0	ND	50.0	122.0	40.0	164.5	30.0	ND	30.0
Product 971	67.5	4.0	70.3	2.0	ND	2.0	61.9	4.0	ND	50.0	ND	NA	ND	30.0	ND	30.0
Product 972	12.2	4.0	3.7	2.0	ND	2.0	16.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 973	169.7	4.0	19.1	2.0	4.5	2.0	169.8	4.0	ND	50.0	<LoQ	40.0	35.8	30.0	ND	30.0
Product 974	80.4	4.0	70.6	2.0	2.0	2.0	53.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 975	16.9	4.0	139.8	2.0	ND	2.0	10.2	4.0	<LoQ	50.0	ND	NA	43.3	30.0	ND	30.0
Product 976	5.9	4.0	8.5	2.0	<LoQ	2.0	4.7	4.0	ND	50.0	ND	40.0	ND	60.0	ND	30.0
Product 977	1919.0	4.0	108.4	2.0	72.6	2.0	81.3	4.0	ND	50.0	50.1	40.0	94.2	30.0	ND	30.0
Product 978	28.3	16.6	<LoQ	8.3	<LoQ	8.3	18.6	16.6	ND	50.0	ND	40.0	ND	60.0	ND	30.0
Product 979	53.4	4.0	39.1	2.0	2.6	2.0	17.2	4.0	<LoQ	50.0	ND	40.0	<LoQ	60.0	ND	30.0
Product 980	69.0	4.0	29.9	2.0	ND	2.0	652.6	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 981	119.8	4.0	66.7	2.0	3.0	2.0	80.9	4.0	ND	50.0	50.2	40.0	69.2	30.0	ND	30.0
Product 982	36.6	4.0	8.0	2.0	ND	2.0	4.4	4.0	ND	50.0	ND	40.0	54.2	30.0	ND	30.0
Product 983	189.6	4.0	45.8	2.0	11.2	2.0	70.4	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 984	43.3	4.0	56.8	2.0	3.5	2.0	139.7	4.0	ND	50.0	54.5	40.0	ND	30.0	ND	30.0
Product 985	22.2	4.0	74.8	2.0	ND	2.0	31.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 986	108.0	4.0	61.7	2.0	ND	2.0	97.3	4.0	ND	50.0	44.1	40.0	168.8	30.0	ND	30.0
Product 987	4.8	4.0	10.3	2.0	ND	2.0	16.7	4.0	ND	50.0	455.7	40.0	262.0	30.0	ND	30.0
Product 988	205.0	4.0	32.5	2.0	4.4	2.0	152.9	4.0	ND	50.0	ND	40.0	214.0	30.0	ND	30.0
Product 989	34.5	17.0	19.2	8.5	<LoQ	8.5	19.0	17.0	ND	50.0	ND	40.0	ND	60.0	ND	30.0
Product 990	21.3	4.0	18.4	2.0	20.2	2.0	11.9	4.0	ND	50.0	<LoQ	40.0	<LoQ	30.0	ND	30.0
Product 991	354.8	16.4	68.0	8.2	11.8	8.2	50.2	16.4	<LoQ	50.0	ND	40.0	64.5	30.0	ND	30.0
Product 992	8.3	4.0	9.2	2.0	ND	2.0	19.0	4.0	ND	50.0	ND	40.0	33.7	30.0	ND	30.0
Product 993	86.6	4.0	47.7	2.0	3.1	2.0	323.1	4.0	<LoQ	50.0	47.9	NA	188.3	30.0	ND	30.0
Product 994	555.8	4.0	45.4	2.0	12.9	2.0	110.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 995	132.8	4.0	31.7	2.0	2.4	2.0	160.5	4.0	ND	50.0	ND	NA	77.8	30.0	ND	30.0
Product 996	481.1	4.0	124.9	2.0	42.2	2.0	175.4	4.0	ND	50.0	54.1	40.0	103.5	30.0	ND	30.0
Product 997	49.7	4.0	35.9	2.0	ND	2.0	171.9	4.0	ND	50.0	ND	40.0	101.4	30.0	ND	30.0
Product 998	<LoQ	4.0	9.7	2.0	ND	2.0	20.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 999	38.2	4.0	217.7	2.0	4.0	2.0	36.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 1000	1066.5	4.0	7.4	2.0	17.4	2.0	9.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1001	34.3	4.0	84.2	2.0	7.0	2.0	50.2	4.0	ND	50.0	46.2	40.0	64.5	30.0	ND	30.0
Product 1002	55.4	4.0	29.3	2.0	2.1	2.0	48.5	4.0	ND	50.0	126.6	40.0	<LoQ	30.0	ND	30.0
Product 1003	307.7	4.0	44.8	2.0	13.7	2.0	381.7	4.0	<LoQ	50.0	63.2	40.0	38.2	30.0	ND	30.0
Product 1004	25.7	4.0	35.5	2.0	ND	2.0	41.7	4.0	<LoQ	50.0	74.6	40.0	84.0	30.0	ND	30.0
Product 1005	107.0	4.0	36.5	2.0	6.5	2.0	791.2	4.0	ND	50.0	103.7	40.0	99.7	30.0	ND	30.0
Product 1006	21.3	16.6	<LoQ	8.3	<LoQ	8.3	<LoQ	16.6	<LoQ	50.0	ND	40.0	ND	60.0	ND	30.0
Product 1007	ND	4.0	14.6	2.0	ND	2.0	8.1	4.0	ND	50.0	ND	40.0	<LoQ	30.0	ND	30.0
Product 1008	167.6	4.0	35.6	2.0	2.3	2.0	97.0	4.0	ND	50.0	<LoQ	40.0	84.9	60.0	ND	30.0
Product 1009	ND	4.0	ND	2.0	ND	2.0	15.2	4.0	<LoQ	50.0	63.7	40.0	ND	30.0	ND	30.0
Product 1010	16.3	4.0	11.5	2.0	ND	2.0	44.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1011	269.3	4.0	99.5	2.0	5.6	2.0	76.2	4.0	ND	50.0	ND	40.0	370.9	60.0	ND	30.0
Product 1012	27.9	4.0	85.8	2.0	2.1	2.0	90.0	4.0	<LoQ	50.0	41.4	40.0	<LoQ	30.0	ND	30.0
Product 1013	1448.7	4.0	38.4	2.0	45.5	2.0	5.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1014	308.7	4.0	62.9	2.0	6.2	2.0	124.5	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1015	359.9	4.0	38.0	2.0	12.2	2.0	37.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1016	5.0	4.0	6.7	2.0	ND	2.0	24.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1017	113.9	16.5	35.9	8.3	<LoQ	8.3	276.6	16.5	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1018	15.8	4.0	74.3	2.0	ND	2.0	40.6	4.0	ND	50.0	ND	40.0	64.2	30.0	ND	30.0
Product 1019	10.6	4.0	10.6	2.0	ND	2.0	13.6	4.0	ND	50.0	ND	40.0	30.2	30.0	ND	30.0
Product 1020	19.7	16.8	17.3	0.1	1.4	0.0	31.6	16.8	<LoQ	50.0	ND	40.0	ND	60.0	ND	30.0
Product 1021	210.8	4.0	28.5	2.0	7.3	2.0	376.1	4.0	ND	50.0	46.7	40.0	<LoQ	30.0	ND	30.0
Product 1022	42.4	4.0	21.5	2.0	ND	2.0	13.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1023	252.2	4.0	22.8	2.0	ND	2.0	138.7	4.0	<LoQ	50.0	ND	40.0	39.8	30.0	ND	30.0
Product 1024	88.3	4.0	20.8	2.0	ND	2.0	20.1	4.0	ND	50.0	ND	40.0	55.5	30.0	ND	30.0
Product 1025	218.5	4.0	40.4	2.0	9.4	2.0	41.6	4.0	ND	50.0	ND	40.0	349.8	30.0	ND	30.0
Product 1026	173.2	4.0	58.0	2.0	3.0	2.0	78.7	4.0	<LoQ	50.0	44.4	40.0	41.3	30.0	ND	30.0
Product 1027	ND	4.0	4.0	2.0	ND	2.0	4.5	4.0	ND	50.0	73.9	40.0	34.6	30.0	ND	30.0
Product 1028	29.1	4.0	382.8	2.0	5.4	2.0	188.2	4.0	ND	50.0	85.8	40.0	44.8	30.0	ND	30.0
Product 1029	33.5	4.0	68.0	2.0	ND	2.0	30.3	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 1030	13.4	4.0	22.7	2.0	ND	2.0	30.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1031	360.2	4.0	24.3	2.0	27.7	2.0	7.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1032	287.2	4.0	21.0	2.0	27.4	2.0	15.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1033	10.0	4.0	12.0	2.0	ND	2.0	30.1	4.0	ND	50.0	ND	40.0	36.0	30.0	ND	30.0
Product 1034	10.1	4.0	14.7	2.0	ND	2.0	72.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1035	8.9	4.0	6.0	2.0	ND	2.0	14.6	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1036	13.1	4.0	25.9	2.0	ND	2.0	62.4	4.0	ND	50.0	<LoQ	40.0	314.5	30.0	ND	30.0
Product 1037	418.9	4.0	42.0	2.0	29.5	2.0	534.8	4.0	ND	50.0	45.1	40.0	<LoQ	30.0	ND	30.0
Product 1038	22.3	4.0	9.0	2.0	ND	2.0	20.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1039	149.9	4.0	28.9	2.0	2.0	2.0	135.1	4.0	<LoQ	50.0	<LoQ	40.0	<LoQ	30.0	ND	30.0
Product 1040	4.9	4.0	8.9	2.0	ND	2.0	7.6	4.0	ND	50.0	ND	40.0	65.2	30.0	ND	30.0
Product 1041	46.8	4.0	8.6	2.0	ND	2.0	9.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1042	35.9	4.0	244.3	2.0	18.4	2.0	56.0	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 1043	96.0	4.0	58.2	2.0	4.2	2.0	156.9	4.0	<LoQ	50.0	131.3	40.0	140.5	30.0	ND	30.0
Product 1044	325.4	4.0	62.1	2.0	5.0	2.0	102.2	4.0	<LoQ	50.0	45.1	40.0	49.1	30.0	ND	30.0
Product 1045	65.1	4.0	60.2	2.0	4.4	2.0	47.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1046	833.3	4.0	84.0	2.0	28.9	2.0	357.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1047	41.4	4.0	19.3	2.0	ND	2.0	29.2	4.0	NA	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1048	209.2	4.0	15.5	2.0	ND	2.0	126.3	4.0	ND	50.0	ND	40.0	88.2	30.0	ND	30.0
Product 1049	ND	4.0	ND	2.0	ND	2.0	ND	4.0	ND	50.0	ND	40.0	108.6	30.0	ND	30.0
Product 1050	370.3	4.0	106.0	2.0	ND	2.0	277.7	4.0	<LoQ	50.0	105.1	40.0	177.8	30.0	ND	30.0
Product 1051	70.8	4.0	68.7	2.0	2.9	2.0	61.0	4.0	ND	50.0	79.2	40.0	148.5	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 1052	6.8	4.0	ND	2.0	ND	2.0	14.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1053	4.0	4.0	18.1	2.0	ND	2.0	38.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1054	13.6	4.0	24.2	2.0	ND	2.0	22.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1055	10.9	4.0	3.2	2.0	ND	2.0	7.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1056	65.2	4.0	14.5	2.0	ND	2.0	16.0	4.0	ND	50.0	ND	40.0	57.3	30.0	ND	30.0
Product 1057	9.4	4.0	53.2	2.0	2.8	2.0	56.9	4.0	ND	50.0	94.0	NA	ND	30.0	ND	30.0
Product 1058	179.2	4.0	23.3	2.0	17.7	2.0	220.9	4.0	ND	50.0	40.5	40.0	ND	30.0	ND	30.0
Product 1059	4.6	4.0	22.8	2.0	ND	2.0	5.2	4.0	<LoQ	50.0	223.9	40.0	ND	30.0	ND	30.0
Product 1060	61.2	4.0	35.7	2.0	4.2	2.0	260.6	4.0	ND	50.0	ND	40.0	348.4	60.0	ND	30.0
Product 1061	1507.2	4.0	36.1	2.0	104.4	2.0	14.0	4.0	ND	50.0	ND	40.0	89.3	30.0	ND	30.0
Product 1062	9.2	4.0	17.4	2.0	ND	2.0	15.4	4.0	ND	50.0	344.4	40.0	154.2	30.0	ND	30.0
Product 1063	122.6	4.0	45.8	2.0	12.1	2.0	103.7	4.0	ND	50.0	49.0	40.0	52.7	30.0	ND	30.0
Product 1064	47.9	4.0	41.2	2.0	ND	2.0	278.0	4.0	<LoQ	50.0	ND	40.0	64.7	30.0	ND	30.0
Product 1065	273.3	4.0	51.2	2.0	4.7	2.0	52.7	4.0	ND	50.0	71.5	40.0	44.3	30.0	ND	30.0
Product 1066	54.0	4.0	30.9	2.0	ND	2.0	86.0	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 1067	20.0	4.0	55.8	2.0	ND	2.0	22.2	4.0	ND	50.0	781.6	40.0	67.7	30.0	ND	30.0
Product 1068	7.0	4.0	6.8	2.0	ND	2.0	45.4	4.0	ND	50.0	ND	40.0	<LoQ	30.0	ND	30.0
Product 1069	183.2	4.0	101.3	2.0	5.4	2.0	92.1	4.0	ND	50.0	ND	40.0	59.5	30.0	ND	30.0
Product 1070	101.1	4.0	22.9	2.0	3.8	2.0	47.0	4.0	ND	50.0	<LoQ	40.0	55.5	30.0	ND	30.0
Product 1071	7.0	4.0	16.4	2.0	ND	2.0	7.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1072	302.2	4.0	70.8	2.0	22.0	2.0	81.7	4.0	ND	50.0	54.1	40.0	80.4	30.0	ND	30.0
Product 1073	47.9	4.0	5.3	2.0	<LoQ	2.0	36.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1074	16.4	4.0	9.2	2.0	ND	2.0	12.3	4.0	NA	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1075	214.0	4.0	19.5	2.0	5.2	2.0	73.6	4.0	<LoQ	50.0	ND	40.0	38.7	30.0	ND	30.0
Product 1076	276.4	33.1	66.1	16.5	<LoQ	16.5	80.9	33.1	<LoQ	50.0	ND	40.0	<LoQ	30.0	ND	30.0
Product 1077	19.1	4.0	29.5	2.0	ND	2.0	138.9	4.0	ND	50.0	ND	40.0	90.8	30.0	ND	30.0
Product 1078	300.4	4.0	104.9	2.0	4.2	2.0	475.7	4.0	<LoQ	50.0	108.1	40.0	125.6	30.0	ND	30.0
Product 1079	28.0	17.3	9.2	8.6	<LoQ	8.6	<LoQ	17.3	<LoQ	50.0	ND	40.0	ND	60.0	ND	30.0
Product 1080	48.4	4.0	21.6	2.0	ND	2.0	56.4	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1081	977.7	4.0	56.2	2.0	27.4	2.0	486.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1082	821.5	4.0	69.2	2.0	8.8	2.0	223.3	4.0	<LoQ	50.0	ND	40.0	85.9	30.0	ND	30.0
Product 1083	12.6	4.0	36.8	2.0	ND	2.0	11.5	4.0	ND	50.0	ND	40.0	118.4	30.0	ND	30.0
Product 1084	111.7	4.0	36.1	2.0	8.2	2.0	381.2	4.0	ND	50.0	82.2	40.0	30.6	30.0	ND	30.0
Product 1085	117.2	4.0	111.4	2.0	2.7	2.0	52.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1086	267.5	4.0	45.7	2.0	2.3	2.0	208.9	4.0	ND	50.0	ND	40.0	123.8	30.0	ND	30.0
Product 1087	9.4	4.0	2.2	2.0	ND	2.0	11.8	4.0	ND	50.0	171.5	40.0	ND	30.0	ND	30.0
Product 1088	141.7	4.0	46.6	2.0	5.5	2.0	205.2	4.0	<LoQ	50.0	ND	40.0	128.9	30.0	ND	30.0
Product 1089	22.9	4.0	11.5	2.0	2.4	2.0	54.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1090	902.7	4.0	64.0	2.0	24.2	2.0	347.7	4.0	<LoQ	50.0	99.3	40.0	177.9	30.0	ND	30.0
Product 1091	7.4	4.0	5.9	2.0	ND	2.0	25.3	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1092	300.9	4.0	20.4	2.0	8.6	2.0	18.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1093	83.8	4.0	17.3	2.0	3.2	2.0	83.1	4.0	ND	50.0	79.7	40.0	131.4	30.0	ND	30.0
Product 1094	4.6	4.0	ND	2.0	ND	2.0	4.1	4.0	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1095	158.3	4.0	45.0	2.0	7.2	2.0	117.5	4.0	ND	50.0	ND	40.0	173.6	30.0	ND	30.0
Product 1096	32.5	4.0	12.7	2.0	ND	2.0	21.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1097	127.2	4.0	48.6	2.0	3.5	2.0	170.3	4.0	ND	50.0	43.0	NA	230.2	30.0	ND	30.0
Product 1098	808.6	4.0	41.8	2.0	33.3	2.0	186.0	4.0	ND	50.0	43.1	40.0	ND	30.0	ND	30.0
Product 1099	12.4	4.0	54.0	2.0	ND	2.0	20.1	4.0	ND	50.0	334.2	40.0	81.1	30.0	ND	30.0
Product 1100	14.5	4.0	16.4	2.0	ND	2.0	14.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1101	18.4	4.0	97.9	2.0	ND	2.0	12.3	4.0	<LoQ	50.0	ND	40.0	106.6	30.0	ND	30.0
Product 1102	9.2	4.0	6.6	2.0	ND	2.0	7.8	4.0	ND	50.0	ND	40.0	53.1	30.0	ND	30.0
Product 1103	849.5	4.0	123.1	2.0	21.4	2.0	167.7	4.0	<LoQ	50.0	<LoQ	40.0	43.6	30.0	ND	30.0
Product 1104	627.5	4.0	74.4	2.0	26.9	2.0	56.3	4.0	ND	50.0	<LoQ	40.0	142.5	60.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 1105	236.1	4.0	47.3	2.0	3.1	2.0	36.8	4.0	ND	50.0	40.7	40.0	40.1	30.0	ND	30.0
Product 1106	101.7	32.9	27.9	16.5	<LoQ	16.5	110.2	32.9	<LoQ	50.0	ND	40.0	45.8	30.0	ND	30.0
Product 1107	59.2	4.0	20.6	2.0	ND	2.0	11.5	4.0	ND	50.0	ND	40.0	<LoQ	30.0	ND	30.0
Product 1108	76.2	32.7	<LoQ	16.3	<LoQ	16.3	270.2	32.7	<LoQ	50.0	ND	40.0	312.8	30.0	ND	30.0
Product 1109	<LoQ	17.2	20.4	8.6	<LoQ	8.6	<LoQ	17.2	ND	50.0	ND	40.0	ND	60.0	ND	30.0
Product 1110	217.2	4.0	29.1	2.0	4.7	2.0	86.6	4.0	ND	50.0	ND	40.0	128.8	30.0	ND	30.0
Product 1111	31.2	4.0	3.3	2.0	ND	2.0	6.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1112	9.1	4.0	ND	2.0	ND	2.0	ND	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1113	50.1	4.0	22.8	2.0	ND	2.0	15.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1114	442.4	4.0	49.2	2.0	19.8	2.0	52.6	4.0	ND	50.0	ND	40.0	118.2	30.0	ND	30.0
Product 1115	ND	4.0	ND	2.0	ND	2.0	5.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1116	<LoQ	4.0	19.6	2.0	ND	2.0	15.0	4.0	ND	50.0	80.7	40.0	36.1	30.0	ND	30.0
Product 1117	ND	4.0	56.2	2.0	ND	2.0	13.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1118	ND	4.0	<LoQ	2.0	ND	2.0	29.3	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1119	30.1	4.0	21.8	2.0	ND	2.0	27.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1120	31.4	4.0	20.7	2.0	ND	2.0	13.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1121	42.0	4.0	11.6	2.0	ND	2.0	8.5	4.0	ND	50.0	ND	40.0	50.3	30.0	ND	30.0
Product 1122	13.1	4.0	41.9	2.0	ND	2.0	64.9	4.0	<LoQ	50.0	85.0	40.0	50.9	30.0	ND	30.0
Product 1123	18.2	4.0	17.7	2.0	ND	2.0	26.6	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1124	1058.4	4.0	158.5	2.0	19.7	2.0	438.5	4.0	<LoQ	50.0	69.0	40.0	105.2	30.0	ND	30.0
Product 1125	11.5	4.0	6.4	2.0	ND	2.0	6.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1126	75.3	4.0	43.0	2.0	5.4	2.0	93.7	4.0	ND	50.0	ND	40.0	50.8	30.0	<LoQ	30.0
Product 1127	52.6	4.0	19.3	2.0	2.6	2.0	5.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1128	265.1	4.0	56.1	2.0	4.4	2.0	58.2	4.0	ND	50.0	79.5	40.0	157.2	30.0	ND	30.0
Product 1129	465.2	4.0	16.3	2.0	22.8	2.0	21.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1130	9.3	4.0	3.9	2.0	ND	2.0	6.1	4.0	ND	50.0	ND	40.0	41.2	30.0	ND	30.0
Product 1131	82.4	4.0	12.4	2.0	<LoQ	2.0	ND	4.0	ND	50.0	ND	40.0	ND	60.0	ND	30.0
Product 1132	361.4	4.0	55.5	2.0	7.5	2.0	94.8	4.0	ND	50.0	ND	40.0	121.4	30.0	ND	30.0
Product 1133	153.6	4.0	63.3	2.0	21.0	2.0	148.9	4.0	<LoQ	50.0	65.9	40.0	73.4	30.0	ND	30.0
Product 1134	32.4	4.0	46.9	2.0	ND	2.0	83.7	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1135	49.4	33.9	30.4	17.0	<LoQ	17.0	<LoQ	33.9	<LoQ	50.0	ND	40.0	ND	30.0	ND	30.0
Product 1136	130.9	4.0	45.0	2.0	4.5	2.0	68.3	4.0	ND	50.0	53.7	40.0	150.1	30.0	ND	30.0
Product 1137	889.3	4.0	104.5	2.0	19.7	2.0	236.5	4.0	<LoQ	50.0	878.2	40.0	<LoQ	30.0	ND	30.0