

Blinded Data: Snacks

KEY

Item	Description
ND	Non-Detect. The analyte was not detected in the product.
<LoQ	Under Limit of Quantification (LoQ). The analyte was detected but at a level below where confident quantitation was possible.
ug/kg	Micrograms of analyte per kilogram of product.

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 1	24.2	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	<LoQ	40.0	ND	40.0	ND	40.0
Product 2	17.2	4.0	35.6	4.0	ND	4.0	11.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 3	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	53.3	8.0	ND	50.0	<LoQ	40.0	70.7	40.0	ND	40.0
Product 4	31.8	4.0	26.4	4.0	<LoQ	4.0	12.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 5	24.5	4.0	<LoQ	4.0	ND	4.0	<LoQ	4.0	ND	50.0	120.2	40.0	ND	30.0	ND	30.0
Product 6	39.9	4.0	121.2	4.0	ND	4.0	4.3	4.0	64.3	50.0	208.7	40.0	ND	30.0	ND	30.0
Product 7	28.0	4.0	84.5	4.0	ND	4.0	6.9	4.0	<LoQ	50.0	559.7	40.0	ND	30.0	ND	30.0
Product 8	15.8	8.0	<LoQ	8.0	<LoQ	8.0	ND	8.0	92.5	50.0	291.3	40.0	ND	40.0	ND	40.0
Product 9	46.3	4.0	61.0	4.0	<LoQ	4.0	9.4	4.0	63.7	50.0	563.2	40.0	ND	30.0	ND	30.0
Product 10	11.4	4.0	21.5	4.0	ND	4.0	<LoQ	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 11	16.4	4.0	11.9	4.0	ND	4.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 12	13.6	4.0	16.0	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	74.2	40.0	ND	30.0	ND	30.0
Product 13	28.7	4.0	28.3	4.0	5.7	4.0	4.2	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 14	35.1	4.0	95.5	4.0	6.6	4.0	<LoQ	4.0	<LoQ	50.0	218.4	40.0	ND	30.0	ND	30.0
Product 15	31.1	4.0	<LoQ	4.0	ND	4.0	<LoQ	4.0	ND	50.0	44.7	40.0	ND	30.0	ND	30.0
Product 16	28.2	4.0	54.6	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	50.0	1473.7	40.0	32.3	30.0	ND	30.0
Product 17	31.0	4.0	147.0	4.0	<LoQ	4.0	<LoQ	4.0	88.0	50.0	381.4	40.0	ND	30.0	ND	30.0
Product 18	6.9	4.0	98.2	4.0	<LoQ	4.0	<LoQ	4.0	317.5	50.0	236.6	80.0	ND	30.0	ND	30.0
Product 19	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	50.6	40.0	ND	40.0	638.4	40.0
Product 20	27.1	4.0	29.9	4.0	ND	4.0	4.6	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 21	14.3	4.0	26.4	4.0	ND	4.0	8.5	4.0	5839.5	50.0	223.9	40.0	ND	30.0	ND	30.0
Product 22	12.1	4.0	16.0	4.0	ND	4.0	<LoQ	4.0	ND	50.0	63.8	40.0	ND	30.0	ND	30.0
Product 23	22.9	4.0	6.9	4.0	<LoQ	4.0	5.1	4.0	ND	50.0	391.9	40.0	ND	30.0	ND	30.0
Product 24	37.3	4.0	10.7	4.0	<LoQ	4.0	4.5	4.0	ND	50.0	<LoQ	80.0	ND	30.0	ND	30.0
Product 25	114.7	4.0	14.1	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	228.9	40.0	ND	30.0	ND	30.0
Product 26	70.3	4.0	133.5	4.0	<LoQ	4.0	<LoQ	4.0	70.1	50.0	162.3	40.0	ND	30.0	ND	30.0
Product 27	12.1	8.0	14.8	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	ND	40.0	ND	40.0	ND	40.0
Product 28	14.8	4.0	30.5	4.0	ND	4.0	<LoQ	4.0	ND	50.0	70.4	40.0	ND	30.0	ND	30.0
Product 29	18.9	4.0	56.6	4.0	ND	4.0	<LoQ	4.0	ND	50.0	252.7	40.0	ND	30.0	ND	30.0
Product 30	ND	4.0	<LoQ	4.0	ND	4.0	<LoQ	4.0	ND	50.0	ND	80.0	ND	30.0	ND	30.0
Product 31	15.8	4.0	12.1	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 32	24.6	4.0	25.8	4.0	<LoQ	4.0	9.1	4.0	ND	50.0	82.9	40.0	ND	30.0	ND	30.0
Product 33	20.8	8.0	11.7	8.0	ND	8.0	14.2	8.0	ND	50.0	<LoQ	40.0	ND	40.0	ND	40.0
Product 34	6.8	4.0	6.2	4.0	ND	4.0	7.3	4.0	ND	50.0	211.7	40.0	ND	30.0	ND	30.0
Product 35	14.9	4.0	8.5	4.0	ND	4.0	4.6	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 36	28.4	4.0	64.2	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	50.0	186.2	40.0	ND	30.0	ND	30.0
Product 37	ND	4.0	111.4	4.0	<LoQ	4.0	<LoQ	4.0	52.7	50.0	462.6	80.0	ND	30.0	ND	30.0
Product 38	57.0	4.0	11.1	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 39	28.8	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	ND	40.0	ND	40.0	ND	40.0
Product 40	27.7	4.0	<LoQ	4.0	7.8	4.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 41	33.4	4.0	39.6	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	94.3	40.0	ND	30.0	ND	30.0
Product 42	14.4	4.0	30.4	4.0	ND	4.0	<LoQ	4.0	ND	50.0	257.7	40.0	ND	30.0	39.2	30.0
Product 43	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	ND	8.0	ND	50.0	616.4	40.0	<LoQ	40.0	ND	40.0
Product 44	42.0	8.0	16.1	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	<LoQ	40.0	ND	40.0	ND	40.0
Product 45	<LoQ	4.0	16.6	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	298.7	40.0	ND	30.0	ND	30.0
Product 46	16.6	4.0	41.5	4.0	ND	4.0	<LoQ	4.0	ND	50.0	46.4	40.0	ND	30.0	ND	30.0
Product 47	17.6	4.0	23.4	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	356.3	40.0	ND	30.0	ND	30.0
Product 48	8.6	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	2020.3	50.0	91.3	40.0	ND	40.0	182.2	40.0
Product 49	ND	4.0	138.2	4.0	<LoQ	4.0	5.1	4.0	116.0	50.0	159.2	80.0	ND	30.0	ND	30.0
Product 50	21.6	4.0	22.9	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	50.0	219.3	40.0	ND	30.0	ND	30.0
Product 51	41.0	4.0	90.9	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	386.3	40.0	ND	30.0	ND	30.0
Product 52	44.7	4.0	78.7	4.0	<LoQ	4.0	114.9	4.0	ND	50.0	388.9	40.0	ND	30.0	ND	30.0
Product 53	13.8	4.0	30.6	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	535.1	40.0	ND	30.0	ND	30.0
Product 54	23.4	4.0	7.7	4.0	8.8	4.0	5.1	4.0	ND	50.0	465.1	40.0	ND	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 55	62.3	4.0	469.8	4.0	ND	4.0	<LoQ	4.0	<LoQ	50.0	349.6	40.0	ND	30.0	ND	30.0
Product 56	24.4	4.0	5.7	4.0	ND	4.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 57	22.6	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	201.1	40.0	ND	30.0	ND	30.0
Product 58	19.0	4.0	46.2	4.0	ND	4.0	4.9	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 59	26.9	4.0	8.8	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	257.9	40.0	ND	30.0	ND	30.0
Product 60	26.8	8.0	<LoQ	8.0	ND	8.0	<LoQ	8.0	ND	50.0	<LoQ	40.0	ND	40.0	ND	40.0
Product 61	40.8	8.0	13.4	8.0	<LoQ	8.0	9.5	8.0	ND	50.0	627.4	40.0	ND	40.0	ND	40.0
Product 62	17.3	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 63	ND	4.0	94.3	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	50.0	498.7	80.0	ND	30.0	ND	30.0
Product 64	17.3	4.0	21.8	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	754.5	40.0	ND	30.0	ND	30.0
Product 65	39.6	4.0	63.4	4.0	6.5	4.0	<LoQ	4.0	<LoQ	50.0	283.5	40.0	ND	30.0	ND	30.0
Product 66	23.3	4.0	20.9	4.0	5.5	4.0	6.6	4.0	ND	50.0	1149.6	40.0	ND	30.0	ND	30.0
Product 67	19.5	4.0	27.4	4.0	<LoQ	4.0	4.3	4.0	ND	50.0	441.6	40.0	ND	30.0	ND	30.0
Product 68	9.8	8.0	117.7	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	ND	40.0	ND	40.0	ND	40.0
Product 69	31.5	4.0	11.4	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	108.2	80.0	ND	30.0	ND	30.0
Product 70	66.8	4.0	491.9	4.0	<LoQ	4.0	12.7	4.0	<LoQ	50.0	194.9	40.0	ND	30.0	ND	30.0
Product 71	23.1	4.0	62.2	4.0	ND	4.0	188.8	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 72	ND	4.0	67.3	4.0	6.6	4.0	5.1	4.0	78.2	50.0	432.1	80.0	ND	30.0	ND	30.0
Product 73	34.6	4.0	277.7	4.0	ND	4.0	<LoQ	4.0	71.8	50.0	362.5	40.0	ND	30.0	ND	30.0
Product 74	20.1	4.0	23.5	4.0	7.9	4.0	5.1	4.0	ND	50.0	78.3	40.0	ND	30.0	ND	30.0
Product 75	131.0	4.0	5.1	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	159.8	40.0	ND	30.0	32.9	30.0
Product 76	10.6	4.0	8.1	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	411.0	40.0	ND	30.0	ND	30.0
Product 77	ND	4.0	106.5	4.0	<LoQ	4.0	5.0	4.0	ND	50.0	474.8	80.0	ND	30.0	ND	30.0
Product 78	35.7	8.0	30.8	8.0	<LoQ	8.0	15.4	8.0	ND	50.0	<LoQ	40.0	ND	40.0	ND	40.0
Product 79	18.0	4.0	33.1	4.0	ND	4.0	<LoQ	4.0	ND	50.0	52.2	40.0	ND	30.0	ND	80.0
Product 80	ND	4.0	36.9	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	50.0	306.9	80.0	ND	30.0	ND	30.0
Product 81	17.9	4.0	79.9	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	42.2	40.0	ND	30.0	ND	30.0
Product 82	42.2	4.0	97.5	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	50.0	1417.3	40.0	ND	30.0	ND	30.0
Product 83	111.5	4.0	26.3	4.0	<LoQ	4.0	10.7	4.0	ND	50.0	896.4	40.0	ND	30.0	ND	30.0
Product 84	44.5	4.0	122.0	4.0	<LoQ	4.0	4.0	4.0	113.5	50.0	404.7	40.0	ND	30.0	38.8	30.0
Product 85	14.1	8.0	10.3	8.0	ND	8.0	<LoQ	8.0	ND	50.0	<LoQ	40.0	ND	40.0	ND	40.0
Product 86	27.7	4.0	<LoQ	4.0	ND	4.0	<LoQ	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 87	11.8	4.0	40.8	4.0	<LoQ	4.0	8.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 88	ND	4.0	128.0	4.0	ND	4.0	6.9	4.0	<LoQ	50.0	225.8	80.0	ND	30.0	ND	30.0
Product 89	36.1	4.0	52.5	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	50.0	472.8	40.0	ND	30.0	ND	30.0
Product 90	<LoQ	4.0	39.3	4.0	ND	4.0	<LoQ	4.0	<LoQ	50.0	989.5	80.0	ND	30.0	ND	30.0
Product 91	74.1	4.0	<LoQ	4.0	ND	4.0	6.2	4.0	ND	50.0	112.0	40.0	ND	30.0	ND	30.0
Product 92	22.2	4.0	<LoQ	4.0	ND	4.0	<LoQ	4.0	ND	50.0	89.9	40.0	ND	30.0	ND	30.0
Product 93	ND	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	50.0	ND	80.0	ND	30.0	ND	30.0
Product 94	34.6	4.0	38.1	4.0	<LoQ	4.0	24.4	4.0	ND	50.0	607.4	40.0	ND	30.0	ND	30.0
Product 95	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	ND	8.0	ND	50.0	58.9	40.0	ND	40.0	ND	40.0
Product 96	24.9	4.0	20.3	4.0	<LoQ	4.0	4.7	4.0	ND	50.0	155.5	40.0	ND	30.0	ND	30.0
Product 97	30.2	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	71.8	40.0	ND	40.0	ND	40.0
Product 98	52.0	4.0	105.5	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	50.0	177.1	40.0	ND	30.0	ND	30.0
Product 99	15.9	4.0	17.6	4.0	<LoQ	4.0	5.8	4.0	ND	50.0	50.0	40.0	ND	30.0	ND	30.0
Product 100	ND	4.0	66.8	4.0	<LoQ	4.0	6.1	4.0	51.9	50.0	273.9	80.0	ND	30.0	ND	30.0
Product 101	ND	4.0	116.3	4.0	ND	4.0	<LoQ	4.0	ND	50.0	843.7	80.0	ND	30.0	ND	30.0
Product 102	81.5	8.0	232.1	8.0	<LoQ	8.0	71.2	8.0	<LoQ	50.0	<LoQ	40.0	ND	40.0	ND	40.0
Product 103	18.9	8.0	32.7	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	50.0	880.3	40.0	ND	40.0	ND	40.0
Product 104	17.1	4.0	<LoQ	4.0	ND	4.0	<LoQ	4.0	ND	50.0	66.7	40.0	ND	30.0	ND	30.0
Product 105	15.6	8.0	8.1	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	<LoQ	40.0	ND	40.0	ND	40.0
Product 106	32.5	4.0	162.1	4.0	7.7	4.0	5.9	4.0	<LoQ	50.0	380.3	40.0	ND	30.0	ND	30.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 107	5.2	4.0	7.7	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	343.5	40.0	ND	30.0	ND	30.0
Product 108	146.3	4.0	12.4	4.0	6.5	4.0	<LoQ	4.0	ND	50.0	46.4	40.0	ND	30.0	ND	30.0
Product 109	24.4	4.0	6.7	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	55.8	40.0	ND	30.0	ND	30.0
Product 110	19.1	4.0	43.0	4.0	ND	4.0	<LoQ	4.0	<LoQ	50.0	92.6	40.0	ND	30.0	ND	30.0
Product 111	14.1	8.0	<LoQ	8.0	<LoQ	8.0	13.2	8.0	ND	50.0	<LoQ	40.0	ND	40.0	ND	40.0
Product 112	8.5	4.0	38.5	4.0	8.1	4.0	<LoQ	4.0	<LoQ	50.0	1050.2	80.0	ND	30.0	ND	30.0
Product 113	4.2	4.0	34.8	4.0	ND	4.0	4.9	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 114	28.8	4.0	<LoQ	4.0	ND	4.0	<LoQ	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 115	12.6	4.0	30.6	4.0	4.7	4.0	5.1	4.0	ND	50.0	120.7	40.0	ND	30.0	ND	30.0
Product 116	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	53.4	40.0	ND	40.0	ND	40.0
Product 117	17.0	8.0	181.2	8.0	<LoQ	8.0	ND	8.0	<LoQ	50.0	262.6	40.0	60.3	40.0	ND	40.0
Product 118	20.4	4.0	<LoQ	4.0	ND	4.0	<LoQ	4.0	ND	50.0	<LoQ	40.0	ND	30.0	ND	30.0
Product 119	28.0	4.0	41.7	4.0	ND	4.0	7.9	4.0	ND	50.0	151.4	40.0	ND	30.0	ND	30.0
Product 120	18.2	4.0	17.4	4.0	ND	4.0	4.8	4.0	ND	50.0	165.5	40.0	ND	30.0	ND	30.0
Product 121	11.3	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	82.6	40.0	ND	30.0	ND	30.0
Product 122	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	61.8	40.0	ND	40.0	269.1	40.0
Product 123	14.9	4.0	8.0	4.0	ND	4.0	5.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 124	19.3	4.0	16.5	4.0	<LoQ	4.0	22.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 125	10.8	4.0	24.7	4.0	<LoQ	4.0	7.1	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 126	39.4	4.0	17.6	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 127	22.0	4.0	<LoQ	4.0	ND	4.0	7.5	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 128	14.5	4.0	57.4	4.0	ND	4.0	<LoQ	4.0	ND	50.0	82.8	40.0	ND	30.0	ND	30.0
Product 129	32.4	4.0	109.0	4.0	ND	4.0	86.0	4.0	<LoQ	50.0	327.5	40.0	ND	30.0	ND	30.0
Product 130	23.2	4.0	<LoQ	4.0	<LoQ	4.0	9.9	4.0	ND	50.0	132.1	40.0	ND	30.0	51.7	30.0
Product 131	38.9	4.0	108.7	4.0	ND	4.0	<LoQ	4.0	106.6	50.0	357.9	40.0	ND	30.0	ND	30.0
Product 132	26.9	4.0	8.6	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	<LoQ	80.0	ND	30.0	ND	30.0
Product 133	19.2	4.0	18.3	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	726.2	40.0	ND	30.0	ND	30.0
Product 134	38.5	4.0	66.3	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	381.2	40.0	ND	30.0	ND	30.0
Product 135	36.7	4.0	42.4	4.0	<LoQ	4.0	4.3	4.0	<LoQ	50.0	334.1	40.0	ND	30.0	ND	30.0
Product 136	24.3	4.0	40.5	4.0	<LoQ	4.0	4.8	4.0	ND	50.0	108.9	40.0	ND	30.0	ND	30.0
Product 137	32.0	4.0	9.6	4.0	<LoQ	4.0	4.8	4.0	ND	50.0	97.5	80.0	ND	30.0	ND	30.0
Product 138	ND	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	50.0	719.0	40.0	ND	40.0	ND	40.0
Product 139	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	ND	8.0	ND	50.0	50.3	40.0	208.2	40.0	ND	40.0
Product 140	<LoQ	8.0	<LoQ	8.0	9.9	8.0	<LoQ	8.0	ND	50.0	63.0	40.0	ND	40.0	ND	40.0
Product 141	7.2	4.0	14.2	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	61.9	40.0	ND	30.0	ND	30.0
Product 142	24.8	4.0	<LoQ	4.0	ND	4.0	<LoQ	4.0	ND	50.0	281.4	40.0	ND	30.0	ND	30.0
Product 143	<LoQ	8.0	50.0	8.0	<LoQ	8.0	<LoQ	8.0	ND	50.0	ND	40.0	ND	40.0	ND	40.0
Product 144	38.1	4.0	205.2	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	241.3	40.0	ND	30.0	ND	30.0
Product 145	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	ND	8.0	<LoQ	50.0	335.4	40.0	ND	40.0	ND	40.0
Product 146	25.1	4.0	14.3	4.0	ND	4.0	4.0	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 147	41.9	4.0	214.6	4.0	<LoQ	4.0	<LoQ	4.0	161.5	50.0	325.6	40.0	ND	30.0	ND	30.0
Product 148	21.1	4.0	61.0	4.0	ND	4.0	<LoQ	4.0	ND	50.0	926.2	40.0	ND	30.0	ND	30.0
Product 149	61.2	4.0	20.5	4.0	5.1	4.0	9.8	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 150	23.9	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	54.8	40.0	ND	30.0	ND	30.0
Product 151	16.5	4.0	<LoQ	4.0	ND	4.0	<LoQ	4.0	ND	50.0	ND	40.0	ND	30.0	ND	30.0
Product 152	11.1	4.0	8.9	4.0	6.4	4.0	<LoQ	4.0	ND	50.0	412.9	40.0	ND	30.0	ND	30.0
Product 153	19.2	4.0	34.5	4.0	<LoQ	4.0	4.2	4.0	ND	50.0	54.4	40.0	ND	30.0	ND	30.0
Product 154	32.5	4.0	50.1	4.0	<LoQ	4.0	<LoQ	4.0	<LoQ	50.0	1423.6	40.0	ND	30.0	ND	30.0
Product 155	10.3	4.0	17.3	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	620.5	40.0	ND	30.0	ND	30.0
Product 156	60.7	4.0	21.8	4.0	<LoQ	4.0	9.2	4.0	328.3	50.0	ND	40.0	ND	30.0	ND	30.0
Product 157	19.3	4.0	29.0	4.0	ND	4.0	<LoQ	4.0	ND	50.0	258.1	40.0	ND	30.0	ND	30.0
Product 158	18.4	4.0	7.2	4.0	ND	4.0	4.4	4.0	ND	50.0	45.7	40.0	ND	30.0	ND	30.0
Product 159	ND	8.0	9.4	8.0	<LoQ	8.0	32.3	8.0	ND	50.0	ND	40.0	ND	40.0	ND	40.0

(continued)

	Arsenic (ug/kg)	Arsenic LoQ (ug/kg)	Cadmium (ug/kg)	Cadmium LoQ (ug/kg)	Mercury (ug/kg)	Mercury LoQ (ug/kg)	Lead (ug/kg)	Lead LoQ (ug/kg)	Total Pesti- cides (ug/kg)	Pesticides LoQ (ug/kg)	Acrylamide (ug/kg)	Acrylamide LoQ (ug/kg)	BPA (ug/kg)	BPA LoQ (ug/kg)	BPS (ug/kg)	BPS LoQ (ug/kg)
Product 160	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	8.0	<LoQ	50.0	122.7	40.0	ND	40.0	ND	40.0
Product 161	14.3	4.0	25.2	4.0	<LoQ	4.0	5.0	4.0	ND	50.0	151.2	40.0	ND	30.0	ND	30.0
Product 162	142.5	4.0	4.3	4.0	<LoQ	4.0	4.3	4.0	ND	50.0	76.7	40.0	ND	30.0	ND	30.0
Product 163	ND	4.0	69.2	4.0	<LoQ	4.0	5.8	4.0	78.8	50.0	361.4	80.0	ND	30.0	ND	30.0
Product 164	28.4	4.0	38.7	4.0	<LoQ	4.0	<LoQ	4.0	ND	50.0	107.7	40.0	ND	30.0	ND	30.0
Product 165	31.8	4.0	<LoQ	4.0	ND	4.0	<LoQ	4.0	ND	50.0	237.0	40.0	ND	30.0	ND	30.0
Product 166	13.4	4.0	17.9	4.0	<LoQ	4.0	5.5	4.0	<LoQ	50.0	103.3	40.0	ND	30.0	ND	30.0